

70-8177 964


NETLANDS RESEARCH PROGRAM CORPS OF ENGINEERS NETLANDS
DELINEATION MANUAL . (U) ARMY ENGINEER WATERWAYS
EXPERIMENT STATION VICKSBURG MS ENVIR.. JAN 87
NES/TR/Y-87-1-APP-C-SECT-1/2

1/1


UNCLASSIFIED

F/8 6/3

ML



END
4/3/87
DHC



(2)

WETLANDS RESEARCH PROGRAM

TECHNICAL REPORT Y-87-1

CORPS OF ENGINEERS WETLANDS DELINEATION MANUAL

APPENDIX C


SECTIONS 1 AND 2

REGION 7 — SOUTHWEST

by

Environmental Laboratory

DEPARTMENT OF THE ARMY
US Army Engineer Waterways Experiment Station
PO Box 631, Vicksburg, Mississippi 39180-0631



DTIC
ELECTED
MAR 11 1987
S D

January 1987

Final Report

Approved For Public Release; Distribution Unlimited

DTIC FILE COPY

Prepared for DEPARTMENT OF THE ARMY
US Army Corps of Engineers
Washington, DC 20314-1000

87 3 11 026

APPENDIX C
SECTION 1
NATIONAL LIST OF PLANT SPECIES
THAT OCCUR IN WETLANDS
REGION 7 - SOUTHWEST

Accesion For		
NTIS	CRA&I	<input checked="" type="checkbox"/>
DTIC	TAB	<input type="checkbox"/>
Unannounced		<input type="checkbox"/>
Justification		
By		
Distribution /		
Availability Codes		
Dist	Avail and/or Special	
A 1		



NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS
REGION 7 - SOUTHWEST

The following is a subset of the National List of Plant Species That Occur In Wetlands of the southwest region of the United States. This area includes New Mexico and Arizona.

The list was initiated by the US Fish and Wildlife Service, National Wetland Inventory (NWI). A candidate national list of more than 5000 species was developed and, using information from more than 250 taxonomic references, the NWI assigned a tentative wetland indicator status to many of the species. The indicator status categories, which define the estimated probability of a species occurring in wetlands, are as follows:

<u>Category</u>	<u>Symbol</u>	<u>Definition</u>
OBLIGATE WETLAND PLANTS	OBL	Plants that occur almost always (estimated probability >99%) in wetlands under natural conditions.
FACULTATIVE WETLAND PLANTS	FACW	Plants that occur usually (estimated probability >67 to 99%) in wetlands, but also occur (estimated probability 1% to 33%) in nonwetlands.
FACULTATIVE PLANTS	FAC	Plants with a similar likelihood (estimated probability 33% to 67%) of occurring in both wetlands and nonwetlands.
FACULTATIVE UPLAND PLANTS	FACU	Plants that occur sometimes (estimated probability 1% to 33%) in wetlands, but occur more often (estimated probability >67% to 99%) in nonwetlands.
OBLIGATE UPLAND PLANTS	UPL	Plants that occur rarely (estimated probability <1%) in wetlands, but occur almost always (estimated probability >99%) in nonwetlands under natural conditions.

For purposes of this manual, any plant species not appearing on the plant list was assumed to be an upland species unless a strong technical rationale could be developed for adding it to the list.

In 1982, the NWI invited other Federal agencies to participate in a review of the NWI plant list. A national review panel was established, comprised of representatives from the Fish and Wildlife Service, Environmental Protection Agency, Soil Conservation Service, and Corps of Engineers. The

national panel developed guidelines for the review process and established twelve regional panels composed of a representative from each agency. The regional panels reviewed the plant list for their region and provided the national review panel with the results. The list that follows represents a subset of the reviewed list for Region 2. Note: Although additional work by the regional panel will be required, the current status of the list is considered to be adequate for use in this manual. The list will be updated as further revisions are made.

Nomenclature used in the list is based on the National List of Scientific Plant Names (USDA-SCS 1982). The generic name is listed only once, and species within a genus are alphabetized.

Symbols

Symbols appearing in the list under the indicator status column are as follows:

- +: A "+" sign following an indicator status denotes that the species generally has a greater estimated probability of occurring in wetlands than species having the general indicator status, but a lesser estimated probability of occurring in wetlands than those having the next highest general indicator. For example, a species with an indicator status of FAC+ occurs in wetlands more often than a species designated as FAC, but less often than a species having a FACW status.
- : A "-" sign following an indicator status (e.g. FACW-) denotes that the species generally has a lesser estimated probability of occurring in wetlands than species having the general indicator status, but a greater estimated probability of occurring in wetlands than those having the next lowest general indicator. For example, species with an indicator status of FACW- occurs in wetlands less often than a species with a FACW status, but more often than a species having a FAC+ status.
- DRA: This symbol indicates that the species normally occurs at the indicated estimated probability in wetlands, but only during periods when standing water is absent.
- ??: A "?" indicates that the species was reviewed by the regional panel, but no decision has been made regarding the appropriate indicator status.

-: A dash without an associated indicator status signifies that no review comments were received, usually because the species is rare in the region or its taxonomic status is questioned.

An X prior to the species name in the scientific name column denotes a hybrid. For purposes of this manual, all species appearing on the regional plant list as FAC-, FACW+, FACW, or FACW- have been deleted from the list because they do not contribute toward hydrophytic vegetation.

THIS LIST SHOULD BE USED IN ACCORDANCE WITH INSTRUCTIONS PROVIDED IN PART IV OF THE MANUAL.

Scientific Name	Common Name	Indicator Status
<i>Acer glabrum</i> Torr.	Rocky Mountain maple	FAC
<i>A. macrophyllum</i> Pursh	Bigleaf maple	FACW
<i>A. negundo</i> L.	Box elder	FACW-
<i>Aconitum columbianum</i> Nutt.	Columbia monkshood	FACW
<i>Adiantum capillus-veneris</i> L.	Venus-hair fern	FACW+
<i>A. pedatum</i> L.	Maidenhair fern	FAC
<i>Adoxa moschatellina</i> L.	Moschatel	-
<i>Agalinus tenuifolia</i> (Vahl.) Raf.	Agalinus	?
<i>Agoseris aurantiaca</i> (Hook.) Greene	Orange agoseris	FAC
<i>A. glauca</i> (Pursh) D. Dietr.	Pale agoseris	FAC
<i>Agrimonia gryposepala</i> Wallr.	Agrimony	FACW-
<i>Agrochordium X macounii</i> (Vasey) Lepage	Macoun wildrye	-
<i>Agropyron dasystachyum</i> (Fisch. ex Link) J. A. Schultes	Wheatgrass	FAC
<i>A. trachycaulum</i> (Link) Malte	Slender wheatgrass	FAC
<i>Agrostis alba</i> L.	Redtop	FACW+
<i>A. exarata</i> Trin.	Spike bentgrass	FACW
<i>A. idahoensis</i> Nash	Idaho bentgrass	FACW
<i>A. scabra</i> Willd.	Rough bentgrass	FAC
<i>A. semiverticillata</i> C. Christ	Water bentgrass	FACW+
<i>Ajuga camelorum</i> Fisch.	Camelthorn	FACW-
<i>Alisma gramineum</i> Gmel.	Grasslike waterplantain	OBL
<i>A. plantago-aquatica</i> L.	Common waterplantain	OBL
<i>Allenrolfea occidentalis</i> (S. Wats.) Kuntze	Iodinebush	?
<i>Allophylum oilioides</i> (Benth.) A. D. Grant and V. Grant	Allophylum	-
<i>Alnus oblongifolia</i> Torr.	Arizona ash	FACW+
<i>A. tenuifolia</i> Nutt.	Thinleaf alder	FACW
<i>Alstroemeria secundiflora</i> Sobol.	Shortawn foxtail	OBL
<i>A. canariensis</i> Walt.	Carolina foxtail	FAC
<i>A. gericulatus</i> L.	Water foxtail	OBL
<i>Amaranthus retroflexus</i> L.	Redroot amaranth	-
<i>Ambrosia psilostachya</i> DC.	Western ragweed	FAC
<i>A. trifida</i> L.	Annual ragweed	FACW-

Scientific Name	Common Name	Indicator Status
<i>Armania auriculata</i> Willd.	Ammania	OBL
<i>A. coccinea</i> Rottb.	Purple ammania	OBL DRA
<i>Amorpha californica</i> Nutt.	Mock locust	FAC
<i>A. fruticosa</i> L.	Dull-leaf indigo	FACW+
<i>Aragallis arvensis</i> L.	Pimpernel	FAC
<i>Andropogon glomeratus</i> (Walt.) B.S.P.	Bushy beard bluestem	-
<i>Anemone canadensis</i> L.	Canada anemone	FACW-
<i>Anemopsis californica</i> (Nutt.) Hook & Arn.	Yerba mansa	OBL
<i>Angelica pinnata</i> Wats.	Small-leaf angelica	FACW
<i>Anoda cristata</i> (L.) Schlecht.	Spurred anoda	FAC
<i>Apocynum cannabinum</i> L.	Indianhemp dogbane	FAC+
<i>A. stibiricum</i> Jacq.	Prairie dogbane	FAC
<i>Aquilegia chrysanthia</i> A. Gray	Golden columbine	FACW
<i>A. coerulea</i> James	Colorado columbine	FACW-
<i>A. longissima</i> Gray	Longspur columbine	FACW+
<i>Arnica chamissonis</i> Less.	Chamiso arnica	FACW
<i>Artemisia biennis</i> Willd.	Biennial wormwood	FACW
<i>A. cana</i> Pursh	Silver sage	FACW
<i>Arundo donax</i> L.	Giantreed	FACW
<i>Asclepias incarnata</i> L.	Swamp milkweed	OBL
<i>A. speciosa</i> Torr.	Showy milkweed	FACW-
<i>Aster chilensis</i> Nees	Pacific aster	FACW-
<i>A. coeruleescens</i> DC.	Aster	?
<i>A. eatonii</i> (Gray) Howell	Eaton aster	FAC
<i>A. falcatus</i> Lindl.	Small aster	FAC
<i>A. foliaceus</i> Lindl.	Alpine aster	FACW
<i>A. frondosus</i> (Nutt.) T&G.	Leafy aster	?
<i>A. hesperius</i> Gray	Siskiyou aster	?
<i>A. intricatus</i> (A. Gray) Blake	Shrubby alkali aster	?
<i>A. novae-angliae</i> L.	New England aster	?
<i>A. pauciflorus</i> Nutt.	Marsh alkali aster	FACW
<i>A. praealtus</i> Poir.	Aster	?
<i>A. spinosus</i> Benth.	Devilweed aster	FACW
<i>Astragalus agrestis</i> Dougl.	Everywhere milkvetch	FACW-
<i>A. alpinus</i> L.	Alpine milkvetch	FAC
<i>A. canadensis</i> L.	Canada milkvetch	-
<i>Athyrium filix-femina</i> (L.) Roth	Southern lady fern	FAC
<i>Atriplex argentea</i> Nutt.	Silver saltbush	FAC
<i>A. falcata</i> (M. E. Jones) Standl.	Saltbush	-
<i>A. lenticularis</i> (Torr.) S. Wats	Big saltbush	FACW
<i>A. patula</i> L.	Fat-hen saltweed	FAC
<i>A. semibaccata</i> R. Br.	Australian saltbush	FAC
<i>A. triangularis</i> Willd.	Saltbush	-
<i>A. truncata</i> (Torrey) Gray	Wedgescale saltweed	?
<i>Azolla filiculoides</i> Lam.	Pacific azolla	OBL
<i>A. mexicana</i> Presl.	Mexican azolla	OBL
<i>Baccharis emoryi</i> A. Gray	Emory baccharis	FACW
<i>B. glutinosa</i> Pers.	Seepwillow baccharis	FACW
<i>B. neglecta</i> Britton	Roosevelt weed	FAC
<i>B. salicifolia</i> T. & G.	Willow baccharis	FAC
<i>B. viminea</i> DC.	Mule fat	FACW

Scientific Name	Common Name	Indicator Status
<i>Bacopa eisenii</i> (Kell.) Penn.	Bacopa	OBL
<i>B. rotundifolia</i> (Mich.) Wettst.	Roundleaf bacopa	OBL
<i>Barbarea orthoceras</i> Ledeb.	Erectpod wintercress	OBL
<i>Bassia hyssopifolia</i> (Pall.) Kuntze	Fivehook bassia	FACW-
<i>Beckmannia eruciformis</i> (L.) Host	Sloughgrass	OBL
<i>B. syzigachne</i> (Steud.) Fernald	American sloughgrass	OBL
<i>Berula erecta</i> (Huds.) Cov.	Cut-leaved water parsnip	OBL
<i>Bessya arizonica</i> Pennell	Kittentails	FACW
<i>B. plantaginea</i> (James) Rydb.	Plantain kittentails	FACW-
<i>Betula occidentalis</i> Hook.	Water birch	FACW
<i>Bidens aurea</i> (Ait.) Sherff.	Bidens	OBL
<i>B. bigelovii</i> Gray	Bidens	OBL
<i>B. bipinnata</i> L.	Spanishneedles beggarticks	FACW-
<i>B. cernua</i> L.	Nodding beggarticks	OBL
<i>B. frondosa</i> L.	Devils beggarticks	FACW
<i>B. laevis</i> (L.) B.S.P.	Brook sunflower	OBL
<i>B. leptocephala</i> Sherff.	Bidens	FAC
<i>B. pilosa</i> L.	Spanishneedles	FACW
<i>B. tenuisecta</i> Gray	Bidens	FACW
<i>Boehmeria cylindrica</i> (L.) Sw.	Smallspike false-nettle	OBL
<i>Botrychium lanceolatum</i> (Gmel.) Rupr.	Lanceleaf grapefern	FACW
<i>B. lunaria</i> (L.) Sw.	Moonwort grapefern	FACW
<i>B. multifidum</i> (Gmel.) Rupr.	Broadleaf grapefern	FAC
<i>B. simplex</i> E. Hitchc.	Little grapefern	FAC
<i>Brachiaria fasciculata</i> (Swartz) S. T. Blake	Brachiaria	?
<i>Bromus ciliatus</i> L.	Fringed brome	FAC
<i>Bulbostylis funckii</i> (Steud.) C. B. Clarke	Beakseed	FACW+
<i>B. juncoidea</i> (Vahl) Kuekenth.	Rush bulbostylis	FACW
<i>Calamagrostis canadensis</i> (Michx.) Beauv.	Bluejoint reedgrass	OBL
<i>C. inexpansa</i> A. Gray	Northern reedgrass	FACW
<i>C. scopulorum</i> Jones	Jones reedgrass	FAC
<i>C. scribnieri</i> Beal.	Scribner reedgrass	?
<i>Calandrinia articulata</i> (Wats.) Howell	Calandrinia	FAC
<i>Callitrichia hermaphroditica</i> L.	Secret waterstarwort	OBL
<i>C. verna</i> L.	Green waterstarwort	OBL
<i>Caltha leptosepala</i> DC.	Elkslip marshmarigold	OBL
<i>Calypso bulbosa</i> (L.) Oakes	Fairy slipper orchid	FAC
<i>Calystegia sepium</i> (L.) R. Br.	Wild morning-glory	FAC
<i>Camelina sativa</i> (L.) Crantz	Cultivated falseflax	FAC
<i>Campanula rotundifolia</i> L.	American bellflower	FAC
<i>Capsella bursa-pastoris</i> (L.) Medik.	Shepherds purse	FAC
<i>Cardamine parviflora</i> L.	Bittercress	-
<i>Cardiospermum halicacabum</i> L.	Balloongrass heartseed	-
<i>Carex albicans</i> Mack.	Black-and-white sedge	?
<i>C. alba</i> L. H. Bailey	Sedge	-
<i>C. aquatilis</i> Wahl.	Water sedge	OBL
<i>C. athrostachya</i> Olney	Slenderbeak sedge	FACW
<i>C. aurea</i> Nutt.	Coldensedge	OBL
<i>C. bebbii</i> Olney	Bebb sedge	OBL
<i>C. bicknellii</i> Britt.	Bicknell sedge	-

Scientific Name	Common Name	Indicator Status
<i>C. bolanderi</i> Olney	Bolander sedge	-
<i>C. brevior</i> (Dewey) Mackenz. Lunnell	Brevior sedge	?
<i>C. canescens</i> L.	Silvery sedge	OBL
<i>C. capillaris</i> L.	Hairlike sedge	FACW
<i>C. douglasii</i> Boott	Douglas sedge	FAC
<i>C. emoryi</i> Dewey	Emory sedge	OBL
<i>C. hassei</i> L. H. Bailey	Sedge	FACW
<i>C. haydeniana</i> Olney	Cloud sedge	?
<i>C. heteroneura</i> W. Boott	Black sedge	FACW
<i>C. hystricina</i> Muhl.	Bottlebrush sedge	OBL
<i>C. interior</i> Bailey	Inland sedge	OBL
<i>C. kelloggii</i> W. Boott	Kellogg sedge	OBL
<i>C. lanuginosa</i> Michx.	Wooly sedge	OBL
<i>C. lasiocarpa</i> Erhr.	Woolfruit sedge	OBL
<i>C. leptalea</i> Wahl.	Bristlestalked sedge	OBL
<i>C. meadii</i> Dewey	Mead sedge	OBL
<i>C. media</i> R. Br.	Sedge	FACW
<i>C. microptera</i> Mack.	Smallwing sedge	-
<i>C. nebrascensis</i> Dewey	Nebraska sedge	OBL
<i>C. norvegica</i> Retz.	Norway sedge	-
<i>C. praegracilis</i> W. Boott	Clustered field sedge	FACW+
<i>C. rostrata</i> Stokes	Beaked sedge	OBL
<i>C. scoparia</i> Schk.	Broom sedge	FACW
<i>C. senta</i> Boott	Swan carex	OBL
<i>C. serratodens</i> W. Boott	False-flax	-
<i>C. simulata</i> Mkze.	Alalogne sedge	-
<i>C. spissa</i> Bailey	San Diego sedge	-
<i>C. stipata</i> Muhl.	Sawbeak sedge	OBL
<i>C. thurbergi</i> Dewey	Thurberg sedge	FAC
<i>C. vesicaria</i> L.	Inflated sedge	OBL
<i>C. viridula</i> Michx.	Green sedge	OBL
<i>C. vulpinoidea</i> Michx.	Fox sedge	OBL
<i>Castilleja exilis</i> A. Nels.	Small indian paintbrush	OBL
<i>C. lineata</i> Greene	Indian paintbrush	FACW
<i>C. minor</i> Gray	Lesser indian paintbrush	OBL
<i>C. mogollonica</i> Pennell	Indian paintbrush	-
<i>C. occidentalis</i> Torrey	Western indian paintbrush	-
<i>C. rhexifolia</i> Rydb.	Splitleaf indian paintbrush	-
<i>C. sulphurea</i> Rydb.	Sulfur indian paintbrush	-
<i>Centaureum calycosum</i> (Buckl.) Fern.	Arizona centaury	FACW+
<i>C. nudicaule</i> (Engelm.) Robins.	Centaury	FACW-
<i>Centunculus minimus</i> L.	Chaffweed	FACW+
<i>Cephalanthus occidentalis</i> L.	Common buttonbush	OBL
<i>Ceratistium beringianum</i> Cham. & Schlecht.	Bering chickweed	FAC
<i>Ceratophyllum demersum</i> L.	Coontail	OBL
<i>Chenopodium ambrosioides</i> L.	Mexican-tea	FAC
<i>C. glaucum</i> L.	Oakleaf goosefoot	FAC
<i>C. rubrum</i> L.	Red goosefoot	?
<i>C. salinum</i> Standl.	Saline goosefoot	-
<i>Chloris virinita</i> Lag.	Chloris	-
<i>Microseris leptophylla</i> (Pers.) Sprague ex. Britt.	Ciclosppermum	-

Scientific Name	Common Name	Indicator Status
<i>Cicuta douglasii</i> (DC.) Coulter & Rose	Douglas water hemlock	OBL
<i>Cinna latifolia</i> (Trevir.) Griseb.	Drooping woodreed	FACW+
<i>Circaeal alpina</i> L.	Alpine ciraea	FAC
<i>Cirsium nudulum</i> (Jones) Petr.	Thistle	FAC
<i>C. pallidum</i> Wooton & Standl.	Thistle	FACW
<i>C. parryi</i> (A. Gray) Petrak	Parry thistle	FACW-
<i>C. vinaceum</i> Wooton & Standl.	Thistle	OBL
<i>Cissus incisa</i> Des Moul	Ivy treebine	FAC
<i>Cladonia californicum</i> (S. Wats.) O'Neill	Sawgrass	OBL
<i>Claytonia lanceolata</i> Pursh	Lanceleaf springbeauty	?
<i>C. perfoliata</i> Donn ex Willd.	Minerslettuce spring-beauty	FACW
<i>Clematis ligusticifolia</i> Nutt.	Virginsbower	-
<i>Cleome lutea</i> Hook.	Yellow beeplant	FAC+
<i>C. serrulata</i> Pursh	Rocky Mountain beeplant	FAC
<i>Cleomella longipes</i> Torr.	Cleomella	-
<i>Conicoselinum scopulorum</i> (A. Gray) Coulter.	Rocky Mountain hemlockparsley	-
<i>Conoclinium greggii</i> (Gray) Small	Palmleaf eupatorium	-
<i>Conyzza coulteri</i> Gray	Conzya	FACW-
<i>Coreopsis tinctoria</i> Nutt.	Tickseed coreopsis	FAC
<i>Cornus canadensis</i> L.	Bunchberry dogwood	FAC
<i>C. stolonifera</i> Michx.	Redosier dogwood	FACW
<i>Cotula coronopifolia</i> L.	Brass buttons	OBL
<i>Crassula aquatica</i> (L.) Schoenl.	Water crassula	OBL
<i>C. erecta</i> (Hook and Arn.) Berger	Erect crassula	FACW
<i>Crepis runcinata</i> (James) T. & G.	Dandelion hawksbeard	FAC
<i>Cressa truxillensis</i> H.B.K.	Alkali weed	FACW-
<i>Cyperus acuminatus</i> Torr. & Hook.	Taperleaf flatsedge	OBL
<i>C. albidarginatus</i> Mart. & Schrader	Whiteedge flatsedge	-
<i>C. aristatus</i> Rotth.	Bearded flatsedge	OBL DRA
<i>C. diffiformis</i> L.	Smallflower flatsedge	OBL
<i>C. erythrorhizos</i> Muhl.	Redroot cyperus	OBL
<i>C. esculentus</i> L.	Chufa	FACW
<i>C. fendlerianus</i> Boeckl.	Fendler flatsedge	FAC
<i>C. ferax</i> L.C. Rich.	Coarse flatsedge	FACW
<i>C. ferruginea</i> Boeckl.	Flatsedge	FACW+
<i>C. flava</i> (Vahl) Vahl ex Nees	Flatsedge	-
<i>C. hermaphroditus</i> (Jacq.) Standl.	Sand flatsedge	-
<i>C. laevigatus</i> L.	Smooth flatsedge	FAC
<i>C. niger</i> Ruiz & Pavon	Black flatsedge	FACW+
<i>C. odoratus</i> L.	Fragrant flatsedge	FACW+
<i>C. parishii</i> Britton	Parish's flatsedge	FACW
<i>C. pringlei</i> Britton	Pine flatsedge	FACW
<i>C. rotundus</i> L.	Nutgrass	FAC
<i>C. schweinitzii</i> Torr.	Flatsedge	-
<i>C. sceleroides</i> H.B.K.	Flatsedge	FAC
<i>C. strigosus</i> L.	Strawcolored cyperus	FACW
<i>Cyperus calceolus</i> L.	Yellow lady's-slipper	FACW
<i>Cystopteris bulbifera</i> (L.) Bernh.	Berry bladderfern	FACW
<i>Delphinium scopulorum</i> Gray	Tallmountain larkspur	FAC
<i>Deshampsia cespitosa</i> (L.) Beauv.	Tufted hairgrass	FACW-
<i>D. danthonioides</i> (Trin.) Munro	Annual hairgrass	FACW-
<i>D. elongata</i> (Hook.) Munro	Slender hairgrass	FAC

Scientific Name	Common Name	Indicator Status
<i>Desmanthus illinoiense</i> (Michx.) Macmil. ex B. Rob. & Fern.	Illinois bundleflower	-
<i>Dichanthelium acuminatum</i> (Swartz) Gould & C. A. Clark	Pacific panicum	-
<i>Digitaria insularis</i> (L.) Mez	Crabgrass	-
<i>Distichlis spicata</i> (L.) Greene	Seashore saltgrass	FACW
<i>Dodecatheon alpinum</i> (Gray) Greene	Alpine shootingstar	?
<i>D. pulchellum</i> (Raf.) Merrill	Beautiful shootingstar	FACW
<i>Draba aurea</i> M. Vahl.	Golden draba	FAC
<i>D. helleriana</i> Greene	Heller's draba	?
<i>D. spectabilis</i> Greene	Toothed woodfern	-
<i>Dracopis amplexicaulis</i> (Vahl) Cass.	Dracopis	FACW
<i>Drymaria pachyphylla</i> Woot. & Standl.	Inkweed drvmary	-
<i>Dugaldia hoopesii</i> (Gray) Rydb.	Dugaldia	FAC+
<i>Echinochloa colona</i> (L.) Link	Jungle-rice	FACW
<i>E. crus-galli</i> (L.) Beauv.	Barnyardgrass	FACW- DRA
<i>E. crus-pavonis</i> (H.B.K.) J. A. Schultes	Alkali barnyardgrass	?
<i>E. muricata</i> (Beauv.) Fernald	Barnyardgrass	?
<i>Echinocystis lobata</i> (Michaux) T. & G.	Wild cucumber	FAC
<i>Echinopepon wrightii</i> (Gray) Wats.	Echinopepon	FAC
<i>Eclipta alba</i> (L.) Hassk.	Common verbadetato	FAC
<i>Egeria densa</i> Planch.	South American elodea	OBL
<i>Elaeagnus angustifolia</i> L.	Russian olive	FACW-
<i>Elatine americana</i> (Pursh) Arn.	American waterwort	OBL
<i>E. brachysperma</i> Gray	Shortseed waterwort	FACW
<i>E. triandra</i> Schk.	Matted waterwort	OBL
<i>Eleocharis acicularis</i> (L.) R. & S.	Slender spikerush	OBL
<i>E. atropurpurea</i> (Retz.) J. & K. Presl.	Purple spikerush	-
<i>E. bella</i> (Piper) Svenson	Beautiful spikerush	FACW
<i>E. caribaea</i> (Rottb.) Blake	Canada spikesedge	FACW
<i>E. compressa</i> Sulliv.	Flat-stemmed spikerush	-
<i>E. engelmanni</i> Steud.	Englemann's spikerush	-
<i>E. erythropoda</i> Steud.	Creeping spikerush	OBL
<i>E. macrostachya</i> Britt.	Creeping spikerush	OBL
<i>E. montana</i> H.B.K.	Mountain spikerush	OBL
<i>E. montevidensis</i> Kunth	Sand spikerush	FACW
<i>E. palustris</i> (L.) R. & S.	Common spikesedge	OBL
<i>E. parishii</i> Britton	Parish spikerush	FACW
<i>E. parvula</i> (R. & S.) Link	Dwarf spikerush	OBL
<i>E. pauciflora</i> (Lightf.) Link	Fewflowered spikerush	-
<i>E. radicans</i> (A. Dietr.) Kunth	Slender spikerush	-
<i>E. rostellata</i> Terr.	Beaked spikerush	OBL
<i>Ellisia ryctelea</i> L.	False babyblueeyes	FAC
<i>Elodea bifida</i> St. John	Waterweed	OBL
<i>E. canadensis</i> Michx.	Common waterweed	OBL
<i>E. longivaginata</i> St. John	Waterweed	OBL
<i>Elymus canadensis</i> L.	Canada wildrve	FAC
<i>E. triticoides</i> Buckley	Creeping wildrve	-
<i>E. virginicus</i> L.	Virginia wildrve	FACW
<i>Elyna bellardii</i> (All.) Degland	Elyna	FAC

Scientific Name	Common Name	Indicator Status
<i>Epilobium angustifolium</i> L.	Fire willowweed	FAC
<i>E. hormemannii</i> Reichenb.	Hornemann willowweed	FACW
<i>Epipactis gigantea</i> Dougl.	Giant hellebore	?
<i>Equisetum arvense</i> L.	Field horsetail	FACW-
<i>E. X ferrissii</i> Clute	Horsetail	FACW
<i>E. hyemale</i> L.	Scouringrush horsetail	FACW
<i>E. laevigatum</i> A. Br.	Smooth horsetail	FACW
<i>Eragrostis lugens</i> Nees	Mourning lovegrass	FAC DRA
<i>E. pectinacea</i> (Michx.) Nees	Carolina lovegrass	FAC
<i>Erianthus ravennae</i> (L.) Beauv.	Ravenna grass	FACW
<i>Erigeron coulteri</i> Porter	Coulter fleabane	FAC
<i>E. elatior</i> (Gray) Greene	Tall fleabane	FACW
<i>E. formosissimus</i> Greene	Beautiful fleabane	FAC
<i>E. conchophyllum</i> Hook.	Spearleaf fleabane	-
<i>E. melanocephalus</i> A. Nels.	Blackheaded fleabane	FAC
<i>E. peregrinus</i> (Banks ex. Pursh) Greene	Peregrine fleabane	FACW
<i>E. philadelphicus</i> L.	Philadelphia fleabane	?
<i>Eriochloa aristata</i> Vasey	Bearded cupgrass	FACW
<i>E. contracta</i> Hitchc.	Prairie cupgrass	FACW
<i>E. gracilis</i> (Fourn.) Hitchc.	Southwestern cupgrass	FACW
<i>Eriophorum angustifolium</i> Honckeny	Narrowleaf cottonsedge	OBL
<i>E. polystachion</i> L.	Coldswamp cottonsedge	OBL
<i>Eryngium heterophyllum</i> Engelm.	Mexican thistle	FACW-
<i>E. pyreum</i> Delar.	Eryngo	OBL
<i>E. sparganophyllum</i> Hemsl.	Arizona eryngo	OBL
<i>Eupatorium maculatum</i> (L.) King & Rob.	Joe-pye weed	-
<i>Eustoma exaltatum</i> (L.) Griseb.	Fustuma	?
<i>Fuscaria occidentalis</i> Nutt.	Euthamia	-
<i>Festuca arundinacea</i> Schreb.	Tall fescue	?
<i>F. rubra</i> L.	Red fescue	FACW-
<i>Fimbristylis arrua</i> (All.) Roem. & J. A. Schultes	Annual fimbristylis	-
<i>F. spadicea</i> (L.) Vahl	Saltmarsh fimbristylis	OBL
<i>F. thermalis</i> S. Wats.	Fimbristylis	FACW+
<i>F. vahlii</i> (Lam.) Link	Fimbristylis	FACW+
<i>Flaveria carpestris</i> J. R. Johnston	Flaveria	FAC
<i>Fleishmannia incarnata</i> (Walt.) R. M. King & H. Rob.	Fleishmannia	FAC
<i>F. pycnocephala</i> (Less.) R. M. King & H. Rob.	Fleishmannia	-
<i>Sceniculum vulgare</i> Mill.	Common fennel	-
<i>Fragaria virginiana</i> Duchesne	Wild strawberry	FAC
<i>Fraxinus pennsylvanica</i> Marsh.	Green ash	FACW
<i>F. velutina</i> Torr.	Velvet ash	FAC+
<i>Fuirena simplex</i> Vahl	Fuirena	OBL
<i>Gilia mexicana</i> H.B.K.	Rough bedstraw	FAC
<i>G. trifidum</i> L.	Small bedstraw	FACW
<i>Gomphrena purpurea</i> (L.) Cabrera	Camochaeta	-
<i>Gaura neomexicana</i> Wooton	Gaura	OBL
<i>Gentianopsis ciliata</i> L.	Moss gentian	OBL
<i>G. parryi</i> Engelm.	Parry gentian	FACW

Scientific Name	Common Name	Indicator Status
<i>Sentianella morella</i> (L.) Boerner	Felwort	FACW
<i>G. tenella</i> (Rottb.) Boerner	Dane's gentian	FAC+
<i>Gentianopsis barbellata</i> (Engelm.) Iltis	Perennial fringed gentian	FAC
<i>G. thermalis</i> (Kuntze) Iltis	Rocky Mountain fringed gentian	?
<i>Geranium eremophilum</i> Wooten & Standl.	Geranium	FACW
<i>G. richardsonii</i> Fisch & Trautv.	Richardson geranium	FAC
<i>G. macrorhizum</i> Willd.	Big-leaf avens	FACW
<i>G. rivale</i> L.	Water avens	FAC
<i>G. triflorum</i> Pursh	Prairiesmoke avens	FAC
<i>Glechoma tricanthos</i> L.	Honeysuckle	FAC
<i>Glyceria borealis</i> (Nash) Batch.	Northern mannagrass	OBL
<i>G. elata</i> (Nash ex. Rydb.) M. E. Jones	Tall mannagrass	OBL
<i>G. maxima</i> (Pursh.) Holmb.	American mannagrass	OBL
<i>G. striata</i> (Lam.) A. Hitchc.	Fowl mannagrass	OBL
<i>Glycyrrhiza lepidota</i> Pursh	Wild licorice	FAC+
<i>Inaphalium chilense</i> Sprengel	Cottonbatting cudweed	FAC
<i>G. grayi</i> A. Nels. & Macbr.	Cudweed	FAC
<i>G. luteo-album</i> L.	Cudweed	FAC
<i>G. palustre</i> Nutt.	Lowland cudweed	FACW
<i>Gratiola neglecta</i> Torr.	Neglected hedgehyssop	OBL DRA
<i>Gymnocarpium dryopteris</i> (L.) Newm.	Oakfern	FAC
<i>Halenia recurva</i> (Sm.) Allen	Spur gentian	FAC
<i>Helenium arizonicum</i> Blake	Sneezeweed	FACW
<i>H. autumnale</i> L.	Common sneezeweed	?
<i>H. thurberi</i> Gray	Thurber sneezeweed	?
<i>Helianthus ciliaris</i> DC.	Blueweed sunflower	FAC
<i>H. grosseserratus</i> Martens	Sawtooth sunflower	-
<i>H. nuttallii</i> T. & G.	Nuttall sunflower	FACW
<i>Heliotropium curassavicum</i> L.	Seaside heliotrope	?
<i>Hemicarpha aristulata</i> (Coville) B. B. Smyth	Awned hemicarpha	FACW
<i>H. drummondii</i> Nees	Drummond hemicarpha	FACW
<i>H. micrantha</i> (Vahl) Britt.	Common hemicarpha	?
<i>Hemizonia purpurea</i> (H. & A.) T. & G.	Common spikeweed	FACW+
<i>Heracleum lanatum</i> Michx.	Common cowparsnip	OBL
<i>Heteranthera limosa</i> (Sw.) Willd.	Longleaf mudplantain	OBL
<i>Hibiscus moscheutos</i> L.	Rose mallow	OBL
<i>Hieroachne odorata</i> (L.) Beauv.	Common sweetgrass	FACW+
<i>Hippuris vulgaris</i> L.	Marestail	OBL DRA
<i>Holcus lanatus</i> L.	Common velvetgrass	FACW-
<i>Hordeum arizonicum</i> Covas	Arizona barley	FAC
<i>H. brachyantherum</i> Nevskii	Meadow barley	-
<i>H. hystrix</i> Roth	Mediterranean barley	-
<i>H. jubatum</i> L.	Foxtail barley	FACW-
<i>H. rusticum</i> Nutt.	Little barley	FAC DRA
<i>Hydrocotyle ranunculoides</i> L.f.	Floating pennwort	OBL
<i>H. verticillata</i> Thunb.	Whorled pennywort	OBL
<i>Hydrophyllum fendleri</i> (Gray) Heller	Fendler waterleaf	?
<i>H. diffidentiae</i> (Wats.) Gray	Western waterleaf	FACW+
<i>Huperzia macroleptoides</i> Cham. & Schlecht	Tinker's penney	?
<i>H. revolutum</i> H.B.K.	Southwestern St. Johnswort	FACW
<i>Idioverpa granifolia</i> (Rydb.) Wiggins	Wild hollyhock	FACW-

Scientific Name	Common Name	Indicator Status
<i>I. rivularis</i> (Dougl.) Greene	Wild hollyhock	FACW
<i>Ipomea pubescens</i> Lam.	Hairy morningglory	-
<i>Iris missouriensis</i> Nutt.	Rocky Mountain iris	?
<i>Isoetes bolanderi</i> Engelm.	Bolander quillwort	OBL
<i>Iva acerosa</i> (Nutt.) R. C. Jacks.	Copperweed	-
<i>I. axillaris</i> Pursh	Poverty weed	FAC DRA
<i>I. xanthifolia</i> Nutt.	Marshelder	FAC
<i>Juglans major</i> (Torr.) Heller	Arizona walnut	FACW-
<i>Juncus acuminatus</i> Michx.	Tapertip rush	OBL
<i>J. acutus</i> L.	Rush	FACW
<i>J. albescens</i> (Lange) Fernald	Northern white rush	-
<i>J. balticus</i> Willd.	Baltic rush	OBL
<i>J. bufo</i> L.	Toad rush	OBL
<i>J. castaneus</i> J. E. Smith	Chestnut rush	-
<i>J. confusus</i> Coville	Colorado rush	-
<i>J. cooperi</i> Engelm.	Cooper rush	FACW
<i>J. drummondii</i> E. Mey.	Drummond rush	FACW
<i>J. effusus</i> L.	Soft rush	OBL
<i>J. ensifolius</i> Wikstr.	Swordleaf rush	FACW
<i>J. interior</i> Wieg.	Inland rush	FAC
<i>J. longistylis</i> Torr.	Longstyle rush	FACW
<i>J. macrophyllus</i> Coville	Long-leaved rush	-
<i>J. marginatus</i> Rostk.	Shore rush	-
<i>J. mertensianus</i> Bong.	Mertens rush	OBL
<i>J. mexicanus</i> Willd.	Mexican rush	FACW
<i>J. nevadensis</i> S. Wats.	Sierra rush	-
<i>J. nodosus</i> L.	Knotted rush	OBL
<i>J. saximontanus</i> A. Nels.	Rocky Mountain rush	FACW
<i>J. tenuis</i> Willd.	Poverty rush	FACW-
<i>J. torreyi</i> Cov.	Torrey's rush	FACW
<i>J. tracyi</i> Rydb.	Tracy rush	-
<i>J. riparia</i> E. Meyer	Iris-leaved rush	OBL
<i>Kobresia myosuroides</i> (Villars) Fiori	Kobresia	FAC
<i>Kochia americana</i> S. Wats.	Green molly	FAC
<i>K. scoparia</i> (L.) Schrader	Summer cypress	FAC
<i>Lactuca canadensis</i> L.	Canada lettuce	-
<i>L. graminifolia</i> Michx.	Grassleaf lettuce	FAC
<i>L. pulchella</i> (Pursh) DC.	Chickory lettuce	FAC
<i>L. serriola</i> L.	Prickly lettuce	FAC DRA
<i>Lantana horrida</i> H.B.K.	Texas lantana	-
<i>Lasthenia chrysostoma</i> (Fisch. & C. A. Meyer) Greene	Lasthenia	-
<i>Leersia oryzoides</i> (L.) Swartz	Rice cutgrass	OBL
<i>Lemna gibba</i> L.	Swollen duckweed	OBL
<i>L. minor</i> Philippi	Least duckweed	OBL
<i>L. minor</i> L.	Common duckweed	OBL
<i>L. obscure</i> (Aust.) Daubs	Obscure duckweed	OBL
<i>L. perpusilla</i> Torr.	Minute duckweed	OBL
<i>L. trinervis</i> (Aust.) Small	Three nerve duckweed	OBL
<i>L. trisulca</i> L.	Star duckweed	OBL
<i>L. valdiviana</i> Philippi	Valdivia duckweed	OBL
<i>Leontodon leucocarpus</i> (Wallr.) G. Beck	Leontodon	-

Scientific Name	Common Name	Indicator Status
<i>Lepidium densiflorum</i> Schrad.	Prairie pepperweed	FAC
<i>L. perfoliatum</i> L.	Claspingleaf pepperweed	-
<i>Leptochloa fascicularis</i> (Lam.) Gray	Bearded sprangletop	?
<i>L. filiformis</i> (Lam.) Beauv.	Red sprangletop	OBL
<i>L. uninervia</i> (Presl) Hitchc. & Chase	Mexican sprangletop	FACW-
<i>Siatris lancifolia</i> (Greene) Kittell	Gay-feather	-
<i>Silaeopsis recurva</i> A. W. Hill	Lilaeopsis	?
<i>Lilium parryi</i> Wats.	Lemmonlily	CBL
<i>L. philadelphicum</i> L.	Wood lily	FACW+ DRA
<i>Limonium limbatum</i> Small	Bordered sea-lavender	FACW DRA
<i>Limosella aciculis</i> Ses. & Moc.	Owyhee mudwort	OBL
<i>L. aquatica</i> L.	Water mudwort	OBL
<i>Sinanthus nuttallii</i> (Gray) Greene ex. Milliken	Nuttall linanthus	FAC
<i>Lindernia ornagallidea</i> (Michx.) Pennell.	Clasping falsepimpernel	OBL
<i>L. dubia</i> (L.) Pennell	Yellowseed falsepimpernel	OBL
<i>Sistera convallarioides</i> (Swartz) Torr.	Twayblade listera	-
<i>Lobelia anatina</i> Wimmer	Lobelia	FACW+
<i>L. cardinalis</i> L.	Cardinal flower	OBL
<i>Lomatium bicolor</i> (S. Wats.) Coulter. & Rose	Lomatium	-
<i>Lomatogonium rotatum</i> (L.) E. Fries	Marsh felwort	-
<i>Lonicera japonica</i> Thunb.	Japanese honeysuckle	-
<i>L. utahensis</i> Wats.	Utah honeysuckle	?
<i>Lotus alamosanus</i> Rose	Alamo lotus	OBL
<i>L. oblongifolius</i> (Benth.) Greene	Stream lotus	OBL
<i>Ludwigia palustris</i> (L.) Ell.	Water purslane	OBL DRA
<i>L. peploides</i> (H.B.K.) Raven	Perennial waterprimrose	OBL
<i>Lupinus kingii</i> Wats.	King lupine	FAC
<i>Luzula parviflora</i> (Ehrh.) Desv.	Small-flowered wood-rush	-
<i>Lycopus americanus</i> Muhl.	Water horehound	OBL
<i>L. asper</i> Greene	Rough bugleweed	OBL
<i>Lysimachia ciliata</i> L.	Fringed loosestrife	FACW
<i>L. hybrida</i> Michx.	Lanceleaf loosestrife	OBL
<i>Lythrum californicum</i> Torr. & Gray	Common loosestrife	OBL
<i>Machaeranthera boliviensis</i> (Greene) Turner & Horne	Machaeranthera	FACW+
<i>M. coulteri</i> (Gray) Turner & Horne	Silver lake daisy	-
<i>M. tephrodes</i> (Gray) Greene	Machaeranthera	-
<i>Malvelia leprosa</i> (Ortega) Krapov.	Alkali sida	?
<i>Marrubium vulgare</i> L.	Horehound	FAC+
<i>Mecardonia vandellioides</i> (H.B.K.) Perrinell	Prostrate mecardonia	OBL
<i>Medicago lupulina</i> L.	Black medic	FAC
<i>Mentha arvensis</i> L.	Field mint	FACW
<i>M. rotundifolia</i> (L.) Huds.	Apple mint	FAC
<i>M. spicata</i> L.	Spearmint	?
<i>Menyanthes trifoliata</i> L.	Common buckbean	OBL
<i>Mertensia siliqua</i> (E. James ex Torr.) C. Don	Broadleaf bluebells	FACW+
<i>M. franciscana</i> A. Heller	Franciscan bluebells	FACW
<i>Mimulus pilosus</i> (Benth.) Greene	False monkey flower	FACW
<i>Mimulus cardinalis</i> Dougl. ex. Berth	Crimson monkey flower	CBL

Scientific Name	Common Name	Indicator Status
<i>M. dentilobus</i> B. Rob. & Fern.	Toothed monkey flower	?
<i>M. eastwoodiae</i> Rydb.	Eastwood's monkey flower	FACW+
<i>M. floribundus</i> Lindl.	Floriferous monkey flower	FACW+
<i>M. glabratus</i> H.B.K.	Yellow monkey flower	OBL
<i>M. guttatus</i> DC.	Common monkey flower	OBL
<i>M. nasutus</i> Greene	Nasut monkey flower	FACW+
<i>M. primuloides</i> Benth.	Primrose monkey flower	OBL
<i>M. rubellus</i> Gray	Ciliolate-toothed monkey flower	FACW
<i>M. suksdorffii</i> Gray	Susdorf's monkey flower	FACW
<i>Miruartia rubella</i> (Wahlenb.) Hiern	Marble sandwort	?
<i>Monarda fistulosa</i> L.	Wildbergamot bee balm	FAC+
<i>Monardella odoratissima</i> Benth.	Pacific monardella	FACW
<i>Monolepis nuttalliana</i> (Schult.) Greene	Nuttall morolepis	FAC
<i>Montia charissoi</i> (Ledeb.) Rob. & Fern.	Water minerslettuce	OBL
<i>Muhlenbergia andina</i> (Nutt.) Hitchc.	Foxtail muhly	-
<i>M. asperifolia</i> (Nees & Mey.) Parodi	Alkali muhly	FACW
<i>M. eludens</i> C. Reeder	Muhly	-
<i>M. filiformis</i> (Thurb.) Rydb.	Pullup muhly	-
<i>M. mexicana</i> (L.) Trin.	Mexican muhly	-
<i>M. montana</i> (Nutt.) A. Hitchc.	Mountain muhly	-
<i>M. pectinata</i> C. O. Goodding	Muhly	-
<i>M. racemosa</i> (Michx.) B.S.P.	Green muhly	-
<i>M. richardsonis</i> (Trin.) Rydb.	Mat muhly	-
<i>M. rigens</i> (Benth.) A. Hitchcock	Deergrass	-
<i>M. schreberi</i> Gmel.	Nimblewill muhly	-
<i>M. sylvatica</i> (Torr.) Torr.	Forest muhly	-
<i>M. utilis</i> (Torr.) Hitchc.	Aparejograss	-
<i>Myosotis scorpioides</i> L.	True forget-me-not	?
<i>Myosurus cristatus</i> Benth. ex Hook.	Bristle mousetail	OBL DRA
<i>M. cupulatus</i> S. Wats.	Mousetail	?
<i>M. minimus</i> L.	Tiny mousetail	OBL
<i>Myriophyllum brasiliense</i> Comb.	Brazilian watermilfoil	OBL
<i>Najas flexilis</i> (Wild.) Rostk. & Schmidt	Nodding waternymph	OBL
<i>N. guadalupensis</i> (Spreng.) Magnus	Southern waternymph	OBL
<i>N. marina</i> L.	Holly-leaved waternymph	OBL
<i>Nama stenocarpum</i> Gray	Nama	-
<i>Nasturtium officinale</i> R. Br.	Watercress	OBL
<i>Navarretia minima</i> Nutt.	Least navarretia	FAC
<i>N. propinquia</i> Suksd.	Great Basin navarretia	FAC
<i>Nepeta cataria</i> L.	Catnip	FACW-
<i>Nicotiana attenuata</i> Torr.	Coyote tobacco	FAC
<i>N. glauca</i> Graham	Tree tobacco	FAC
<i>Nitrophila occidentalis</i> (Moq.) Wats.	Western miterwort	FAC+
<i>Onchar luteum</i> (L.) Sibth. & J. E. Smith	European cowlily	OBL
<i>Onymphaea peltata</i> (Gmel.) O. Ktze.	Roundleaf nymphoides	OBL
<i>Oreastera pulcherrima</i> Torr. & Frem.	Spotted primrose	-
<i>O. pulcherrima</i> H.B.K.	Hooker evening primrose	FACW
<i>O. pulcherrima</i> (A. Nels.) Garrett	Yellow evening primrose	-
<i>O. pulcherrima</i> (Spach) Munz	Kunth surdrops	-
<i>O. pulcherrima</i> J. Hill	Cut-leaved evening primrose	-
<i>O. pulcherrima</i> Rydb.	Evening primrose	OBL

Scientific Name	Common Name	Indicator Status
<i>O. rosea</i> L'Her ex Ait.	Rose sundrops	FACW
<i>O. villosa</i> Thunb.	Evening primrose	-
<i>Ophioglossum engelmannii</i> Prantl	Engelmann adderstongue	FACW DRA
<i>O. vulgatum</i> L.	Common adderstongue	FAC
<i>Osmunda cinnamomea</i> L.	Cinnamon fern	FACW
<i>Oxalis corniculata</i> L.	Lady's sorrel	-
<i>Oxypolis fendleri</i> Hill (A. Gray) A. Heller	Fendler cowbane	FACW
<i>Oxytropis deflexa</i> (Pall.) DC.	Hangpod crazyweed	FAC
<i>O. oreophila</i> Gray	Roundleaf crazyweed	-
<i>O. parryi</i> Gray	Parry crazyweed	-
<i>O. splendens</i> Dougl.	Splendid crazyweed	-
<i>Panicum capillare</i> L.	Witchgrass	FAC
<i>P. dichotomiflorum</i> Michx.	Fall panicum	FAC
<i>P. obtusum</i> H.B.K.	Vine-mesquite	FAC DRA
<i>P. occidentale</i> Scribn.	Pacific panicum	-
<i>P. virgatum</i> L.	Switchgrass	FAC+
<i>Parietaria pensylvanica</i> Muhl.	Pennsylvania pellitory	FACW-
<i>Parrassia fimbriata</i> K. D. Koenig	Fringed grass-of-parnassus	OBL
<i>P. parviflora</i> DC.	Small flower parnassia	OBL
<i>Parthenocissus vitacea</i> (Knerr) A. Hitchc.	Grape parthenocissus	FACW-
<i>Paspalum dilatatum</i> Poir.	Dallisgrass	FAC
<i>P. distichum</i> L.	Knotgrass	?
<i>P. setaceum</i> Michx.	Thin paspalum	-
<i>Pedicularis groenlandica</i> Retz.	Elephanthead lousewort	OBL
<i>P. parryi</i> A. Gray	Parry lousewort	FAC+
<i>Penstemon rydbergii</i> A. Nels.	Rydberg penstemon	FAC
<i>Perideridia gairdneri</i> (Hook & Arn.) Mathias	Common yampa	FACW
<i>P. parishii</i> (Coulter & Rose) Nels. & Macbr.	Parish yampa	FACW
<i>Persicaria vestita</i> Greene	Persicaria	-
<i>Petunia parviflora</i> Juss.	Payette penstemon	FACW
<i>Phacelia heterophylla</i> Pursh.	Varileaf phacelia	FAC
<i>Phalaris angusta</i> Nees ex. Trin.	Timothy canary grass	FACW
<i>P. arundinacea</i> L.	Reed canary grass	OBL
<i>P. canariensis</i> L.	Canary grass	?
<i>P. caroliniana</i> Walter	Carolina canary grass	FACW
<i>Phleum alpinum</i> L.	Mountain timothy	FACW-
<i>Phragmites australis</i> (Cav.) Trin. ex. Steud.	Phragmites	FACW+
<i>Phyla cuneifolia</i> (Torr.) Greene	Frog-fruit	FACW
<i>P. incisa</i> Small	Frog-fruit	FACW-
<i>P. lanceolata</i> (Michx.) Greene	Northern frog-fruit	OBL
<i>P. nodiflora</i> Michx.	Common frog-fruit	OBL
<i>Physalis coryculata</i> L.	Cutleaf ground cherry	FAC
<i>Phytolacca americana</i> L.	Common pokeberry	-
<i>Picea pungens</i> Engelm.	Blue spruce	FAC
<i>Pistia stratiotes</i> L.	Water lettuce	OBL
<i>Plagiothecium scouleri</i> (H. & H.) I. Johnst.	Scouler popcornflower	FACW+
<i>P. tenellus</i> (Nutt. ex. Hook.) Gray	Slender popcornflower	FAC DRA

Scientific Name	Common Name	Indicator Status
<i>Plantago eriopoda</i> Torr.	Redwool plantain	FAC
<i>P. heterophylla</i> Nutt.	Slender plantain	FACW DRA
<i>P. hirtella</i> H.B.K.	Mexican plantain	-
<i>P. lanceolata</i> L.	English plantain	FAC DRA
<i>P. major</i> L.	Common plantain	FACW
<i>P. rhodosperma</i> Decne	Red-seeded plantain	FAC+
<i>P. virginica</i> L.	Dwarf plantain	-
<i>Platanthera dilatata</i> (Pursh) Lindl. ex Beck	Bog candle	FACW
<i>P. flava</i> (L.) Lindl.	Tuberclad orchid	FACW
<i>P. hyperborea</i> (L.) Lindl.	Northern green orchid	FACW
<i>P. limosa</i> Lindl.	Thurber's bog-orchid	OBL
<i>P. sparsiflora</i> (S. Wats.) Schlechter	Sparingly-flowered bog-orchid	FACW
<i>P. stricta</i> Lindl.	Slender bog-orchid	FACW
<i>Platanus wrightii</i> S. Wats.	Arizona sycamore	?
<i>Plectritis ciliosa</i> (Greene) Jeps.	Fringed plectritis	-
<i>Pluchea purpureascens</i> (Sw.) DC.	Saltmarsh pluchea	OBL
<i>P. sericea</i> (Nutt.) Coville	Arroweed pluchea	FACW-
<i>Poa arctica</i> R. Br.	Arctic bluegrass	FACW
<i>P. arida</i> Vasey	Plains bluegrass	-
<i>P. glaucifolia</i> Scribn. & Will.	Bloomleaf bluegrass	FACW
<i>P. gracillima</i> Vasey	Slender bluegrass	-
<i>P. nervosa</i> (Hook.) Vasey	Wheeler bluegrass	-
<i>P. nevadensis</i> Vasey	Nevada bluegrass	FACW
<i>P. palustris</i> L.	Fowl bluegrass	FAC
<i>Polemonium filicinum</i> Greene	Fernleaf polemonium	FACW
<i>P. foliosissimum</i> A. Gray	Leafy polemonium	FAC
<i>P. pauciflorum</i> Wats.	Mexican polemonium	-
<i>Polygonum amphibium</i> L.	Water knotweed	OBL
<i>P. argyrocoleon</i> Steud.	Persian wireweed	OBL
<i>P. aviculare</i> L.	Prostrate knotweed	FACW
<i>P. bistortoides</i> Pursh	Bistort knotweed	OBL
<i>P. confertiflorum</i> Nutt.	Fruitleaf knotweed	OBL DRA
<i>P. erectum</i> L.	Erect knotweed	-
<i>P. hydropiperoides</i> Michx.	Swamp knotweed	OBL
<i>P. kelloggii</i> Greene	Kellogg knotweed	-
<i>P. latifolium</i> L.	Smartweed	OBL
<i>P. pensylvanicum</i> L.	Pennsylvania smartweed	OBL
<i>P. persicaria</i> L.	Ladysthumb smartweed	FACW+
<i>P. punctatum</i> Ell.	Dotted smartweed	OBL
<i>P. ramosissimum</i> Michx.	Bushy knotweed	-
<i>P. viviparum</i> L.	Vivi knotweed	-
<i>Polypogon elongatus</i> H.B.K.	Rabbitfoot grass	-
<i>P. interruptus</i> H.B.K.	Ditch polypogon	-
<i>P. mcrspeliensis</i> (L.) Desf.	Rabbitfoot grass	FACW+
<i>Polystichum lonchitis</i> (L.) Roth	Holly fern	?
<i>Populus acuminata</i> Rydb.	Smooth-barked cottonwood	FACW
<i>P. angustifolia</i> E. James	Narrowleaf cottonwood	FACW
<i>P. deltoides</i> W. Bartram ex Marshall	Eastern cottonwood	FACW-
<i>P. fremontii</i> S. Wats.	Fremont cottonwood	FACW
<i>P. tremula</i> L.	European aspen	?
<i>Porterella carnosula</i> (H. & A.) Torr.	Fleshy porterella	OBL

Scientific Name	Common Name	Indicator Status
<i>Portulaca oleracea</i> L.	Common purslane	FAC
<i>P. umbraticola</i> H.B.K.	Purslane	FAC
<i>Potamogeton diversifolius</i> Raf.	Waterthread pondweed	OBL
<i>P. foliosus</i> Raf.	Leafy pondweed	OBL
<i>P. gramineus</i> L.	Variableleaf pondweed	OBL
<i>P. illinoensis</i> Morong	Illinois pondweed	OBL
<i>P. natans</i> L.	Floatingleaf pondweed	OBL
<i>P. nodosus</i> Poir.	Longleaf pondweed	OBL
<i>P. pectinatus</i> L.	Sago pondweed	OBL
<i>P. pusillus</i> L.	Baby pondweed	OBL
<i>Potentilla anserina</i> L.	Silverweed	OBL
<i>P. biennis</i> Greene	Biennial cinquefoil	-
<i>P. diversifolia</i> Lehm.	Varileaf cinquefoil	-
<i>P. fruticosa</i> L.	Shrubby cinquefoil	FACW-
<i>P. glandulosa</i> Lindl.	Gland cinquefoil	-
<i>P. gracilis</i> Dougl.	Northwest cinquefoil	-
<i>P. millegrana</i> Engelm. ex. Lehm.	Diffuse cinquefoil	-
<i>P. norvegica</i> L.	Rough cinquefoil	FAC
<i>P. paradoxa</i> Nutt.	Bushy cinquefoil	-
<i>P. plattensis</i> Nutt.	Platte cinquefoil	-
<i>P. rivalis</i> Nutt.	Brook cinquefoil	-
<i>P. thurberi</i> A. Gray	Thurber cinquefoil	FACW+
<i>Primula ellisiae</i> Pollard & Cockl.	Ellisia-like primula	?
<i>P. parryi</i> Gray	Parry primrose	FAC+
<i>P. rusbyi</i> Greene	Rusby primrose	FAC
<i>Prionopsis ciliata</i> (Nutt.) Nutt.	Prionopis	-
<i>Proboscidea louisianica</i> (Miller) Thellung	Louisiana devilsclaws	FAC
<i>Prosopis pubescens</i> Benth.	Screwbean mesquite	FACW-
<i>Frunella vulgaris</i> L.	Common selfheal	FACW-
<i>Prunus virginiana</i> L.	Common chokecherry	FAC
<i>Puccinella airoides</i> (Nutt.) S. Wats. & Coulter.	Nuttall alkaligrass	OBL
<i>P. distans</i> (L.) Parlat.	Weeping alkaligrass	-
<i>P. fasciculata</i> (Torr.) Pickn.	Torrey alkaligrass	-
<i>P. rutkaensis</i> (J. Presl.) Fernald & Weatherby	Pacific alkaligrass	-
<i>P. nuttalliana</i> (J. A. Schultes) A. Hitchc.	Nuttall alkaligrass	-
<i>P. parishii</i> A. Hitchc.	Parish alkaligrass	OBL
<i>P. pauciflora</i> (J. Presl.) Munz	Weak managrass	-
<i>Pyrola asarifolia</i> Michx.	Alpine shinleaf	-
<i>Panunculus acris</i> L.	Tall buttercup	FACW
<i>P. aquatilis</i> L.	Water buttercup	OPL DRA
<i>P. cardiophyllus</i> Hook.	Heartleaf buttercup	FACW
<i>P. cymbalaria</i> Pursh	Alkali buttercup	OBL
<i>P. eschscholtzii</i> Schlect.	Eschscholtz buttercup	FACW
<i>P. flexuosa</i> L.	Spearwort buttercup	FACW
<i>P. glaberrimus</i> Hook.	Sagebrush buttercup	FAC
<i>P. gmelinii</i> DC.	Gmelin buttercup	-
<i>P. hydrocharoides</i> Gray	Buttercup	OPL
<i>P. inamoena</i> Greene	Pleasant buttercup	FACW
<i>P. longirostris</i> Codr.	White water-crowfoot	OPI

Scientific Name	Common Name	Indicator Status
<i>R. macauleyi</i> A. Gray	Macauley buttercup	-
<i>R. maccounii</i> Britt.	Macoun's buttercup	-
<i>R. macranthus</i> Scheele	Large buttercup	FACW
<i>R. oreogenes</i> Greene	Buttercup	-
<i>R. pedatifidus</i> J. E. Smith	Northern buttercup	-
<i>R. pensylvanicus</i> L.f.	Pennsylvania buttercup	-
<i>R. ranunculinus</i> (Nutt.) Rydb.	Buttercup	-
<i>R. sceleratus</i> L.	Celeryleaf buttercup	OBL
<i>R. subrigidus</i> W. Drew	Pond buttercup	OBL
<i>R. uncinatus</i> D. Don.	Hooked buttercup	-
<i>Rebium microphyllum</i> (Gray) Hemsl.	Bracted bedstraw	-
<i>Pharbitis betulifolia</i> Greene	Birchleaf buckthorn	FACW-
<i>Rhinanthus crista-galli</i> L.	Cockscomb rattleweed	-
<i>Ribes americanum</i> Mill.	Wild black currant	FACW
<i>R. aureum</i> Pursh	Golden currant	FACW
<i>R. inerme</i> Rydb.	Whitestem currant	FACW-
<i>R. wolfii</i> Rothr.	Wolf currant	FAC
<i>Rorippa calycina</i> (Engelm.) Rydb.	Caly yellowcress	OBL
<i>R. curvipes</i> Greene	Rocky Mountain yellowcress	OBL DRA
<i>R. curvisiliqua</i> (Hook.) Bessey ex. Britton	Curvepod yellowcress	OBL
<i>R. palustris</i> (L.) Besser	Marsh yellowcress	OBL DRA
<i>R. sinuata</i> (Nutt.) A. Hitchc.	Spreading yellowcress	FACW
<i>R. sphaeroarpa</i> (Gray) Britton	Round-fruited cress	OBL
<i>R. sylvestris</i> (L.) Besser	Creeping yellow cress	OBL
<i>R. teres</i> (Michx.) Stuckey	Marsh cress	OBL
<i>Rotala catholica</i> (Cham. & Schlecht.) VanLeeuwen	Rotala	-
<i>R. ramosior</i> (L.) Koehne	Tooth-cup	OBL
<i>Rubus idaeus</i> L.	Red raspberry	FAC
<i>R. strigosus</i> Michx.	Strigate blackberry	FAC
<i>Rudbeckia hirta</i> L.	Blackeyed susan	-
<i>R. laciniata</i> L.	Cutleaf cone flower	FACW-
<i>Rumex acetosella</i> L.	Sheep sorrel	FACW
<i>R. altissimus</i> Wood	Pale dock	FAC+
<i>R. conglomeratus</i> Murr.	Clustered dock	FACW-
<i>R. crispus</i> L.	Curled dock	FACW
<i>R. maritimus</i> L.	Golden dock	FACW+
<i>R. mexicanus</i> Meissn.	Narrowleaf dock	FACW
<i>R. obtusifolius</i> L.	Bitter dock	FACW
<i>R. occidentalis</i> S. Wats.	Western dock	OBL
<i>R. salicifolius</i> Weinm.	Willow dock	FACW
<i>R. venosus</i> Pursh	Veiny dock	FACW
<i>R. violascens</i> Rech. f.	Violet-like dock	FACW+
<i>Sagina saginoides</i> (L.) Karst.	Arctic pearlroot	FACW+
<i>Sagittaria brevirostra</i> Mackenzie & Bush	Shortbeaked arrowhead	OBL
<i>S. calycina</i> Engelm.	Hooded arrowhead	OBL
<i>S. erecta</i> Sheld.	Northern arrowhead	OBL
<i>S. graminea</i> Michx.	Grassy arrowhead	OBL
<i>S. greggii</i> J. C. Smith	Gregg arrowhead	OBL
<i>S. latifolia</i> Willd.	Broadleaf arrowhead	OBL
<i>S. longiloba</i> Engelm.	Long-bart arrowhead	OBL

Scientific Name	Common Name	Indicator Status
<i>Salicornia rubra</i> A. Nels.	Rockymountain glasswort	OBL DRA
<i>S. utahensis</i> Tides.	Utah glasswort	FACW
<i>S. virginica</i> L.	Virginia swampfire	OBL
<i>Salix alba</i> L.	White willow	?
<i>S. amygdaloidea</i> Anderss.	Peachleaf willow	FACW
<i>S. bebbiana</i> Sarg.	Bebb willow	FACW
<i>S. bonplandiana</i> H. B. K.	Bonplant willow	FACW+
<i>S. drummondiana</i> Barratt ex Hook.	Drummond willow	FACW
<i>S. exigua</i> Nutt.	Sandbar willow	OBL DRA
<i>S. geyeriana</i> Anderss.	Geyer willow	OBL
<i>S. glauca</i> L.	Grayleaf willow	FACW
<i>S. gooddingii</i> Ball	Goodding willow	OBL
<i>S.rrorata</i> Anderss.	Bluestem willow	FACW+
<i>S. lasiandra</i> Benth.	Pacific willow	FACW+
<i>S. lasiolepis</i> Berth.	Arroyo willow	FACW
<i>S. lutea</i> Nutt.	Yellow willow	OBL
<i>S. monticola</i> Bebb	Mountain willow	OBL
<i>S. planifolia</i> Pursh	Mono willow	OBL
<i>S. taxifolia</i> H. B. K.	Yewleaf willow	FACW-
<i>Sambucus cerulea</i> Raf.	Blue elderberry	FAC
<i>S. melanocarpa</i> Gray	Blackhead elder	-
<i>S. mexicana</i> K. Presl. ex. DC.	Mexican elder	FAC
<i>Samolus cuneatus</i> Small	Waterpimpernel	OBL
<i>S. ebracteatus</i> H.B.K.	Waterpimpernel	OBL
<i>S. parviflorus</i> Raf.	Waterpimpernel	OBL
<i>S. vagans</i> Greene	Waterpimpernel	OBL
<i>Sanguisorba minor</i> Scop.	Small burnet	?
<i>Saponaria officinalis</i> L.	Bouncingbet	-
<i>Saxifraga arguta</i> D. Don	Brook saxifrage	FACW-
<i>S. pectinata</i> L.	Nodding saxifrage	-
<i>S. chrysanthia</i> Gray	Cespitose saxifrage	-
<i>S. debilis</i> Engelm.	Goldbloom saxifrage	-
<i>S. hirsutissima</i> purpureoserrata (Torr.) Swallen	Weak saxifrage	-
<i>S. acutus</i> Muhl. ex. Bigel.	False melic	-
<i>S. eremiarus</i> Pers.	Hardstem bulrush	OBL
<i>S. irroratus</i> Willd.	American bulrush	OBL
<i>S. californicus</i> (C. A. Meyer) Steud.	Green bulrush	OBL
<i>S. microcarpus</i> J. & K. Presl.	California bulrush	OBL
<i>S. pallidus</i> (Britton) Fernald	Panicled bulrush	OBL
<i>S. pendulus</i> Muhl.	Pale bulrush	OBL
<i>S. purgans</i> Vahl	Reddish bulrush	OBL
<i>S. robustus</i> Pursh	Three square	OBL
<i>S. villosus</i> Vahl	Saltmarsh bulrush	OBL
<i>S. trichotricha</i> californica cham. & Schlecht.	Softstem bulrush	OBL
<i>S. Jamesii</i> Pursh	Figwort	FACW-
<i>S. tenuifolia</i> glomerulata L.	Lanceleaf figwort	FACW
<i>S. latifolia</i> L.	Common skullcap	OBL
<i>S. sibirica</i> Corv	Blue skullcap	OBL
<i>S. heterophylla</i> Gray	Jones selenia	-
<i>S. multifida</i> L. H. Buek	Thickleaf groundsel	-
	Fewleaf groundsel	-

Scientific Name	Common Name	Indicator Status
<i>S. pauperulus</i> Michx.	Balsam groundsel	FAC
<i>S. pseudoaureus</i> Rydb.	Falsegold groundsel	FACW
<i>S. salignus</i> DC.	Willow groundsel	FAC
<i>S. streptanthifolius</i> Greene	Cleftleaf groundsel	-
<i>S. triangularis</i> Hook.	Arrowleaf groundsel	OBL
<i>Sesbania exaltata</i> (Raf.) Rydb.	Wild-coffee	FACW
<i>Sesuvium sessile</i> Pers.	Lowland purslane	FAC
<i>S. verrucosum</i> Raf.	Sea-purslane	FACW
<i>Setaria geniculata</i> (Lam.) Beauv.	Knotroot bristlegrass	FAC
<i>S. glauca</i> (L.) Beauv.	Yellow foxtail	FAC
<i>S. italica</i> (L.) Beauv.	Foxtail millet	-
<i>S. verticillata</i> (L.) Beauv.	Bur bristlegrass	-
<i>Sidalcea candida</i> Gray	White checkermallow	FAC
<i>S. neomexicana</i> Gray	New Mexico checkermallow	FACW
<i>Silene acaulis</i> L.	Moss silene	FAC
<i>Sisymbrium altissimum</i> L.	Tumblemustard	FAC
<i>Sisyrinchium cernuum</i> (Bicknell) Kearney	Blue-eyed grass	FAC
<i>S. demissum</i> Greene	Stiff blue-eyed grass	OBL
<i>S. elmeri</i> Greene	Drew's golden-eyed grass	-
<i>S. idahoense</i> Bickn.	Idaho blue-eyed grass	-
<i>S. longipes</i> (Bicknell) Kearney & Peebles	Blue-eyed grass	FACW
<i>S. montanum</i> Greene	Colorado blue-eyed grass	FACW
<i>Sium suave</i> Walt.	Common waterparsnip	OBL
<i>Solanum americanum</i> Mill.	Nightshade	FAC
<i>S. douglasii</i> Dunal	Greenspot nightshade	FAC DRA
<i>S. dulcamara</i> L.	Bittersweet	-
<i>S. nigrum</i> L.	Black nightshade	-
<i>Solidago gigantea</i> Ait.	Late goldenrod	FACW-
<i>Sonchus arvensis</i> L.	Sow thistle	-
<i>S. asper</i> (L.) J. Hill	Prickly sowthistle	FACW DRA
<i>Sorghastrum nutans</i> (L.) Nash	Sorghastrum	-
<i>Sparaganiun emersum</i> Rehm.	Narrow-leaved bur-reed	OPL
<i>S. eurycarpum</i> Engelm. ex. Gray	Giant burreed	OBL
<i>Spartina gracilis</i> Trin.	Alkali cordgrass	FACW
<i>S. pectinata</i> Link	Prairie cordgrass	FACW
<i>Spergularia marina</i> (L.) Griseb.	Saltmarsh sandspurry	?
<i>S. plattersis</i> (Camb.) Fenzl.	Sandspurry	-
<i>S. rubra</i> (L.) J. & C. Presl.	Red sandspurry	-
<i>Sphaeromeria salsula</i> (Pallas) DC.	Sphaeromeria	-
<i>Sphenopholis obtusata</i> (Michx.) Scribn.	Prairie wedgegrass	FAC
<i>Spiranthes graminea</i> Lindl.	Grasslike ladies' tresses	OBL
<i>S. romanzoffiana</i> Cham.	Continental ladies' tresses	OBL
<i>Spirodela polyrhiza</i> (L.) Schleiden	Greater duckweed	OBL
<i>Sporobolus airoides</i> (Torr.) Torr.	Alkali sacaton	FAC
<i>S. texanus</i> Vasey	Texas dropseed	-
<i>Stachys agraria</i> Cham. & Schlecht.	Shade betony	-
<i>S. palustris</i> L.	Marsh hedge nettle	OBL
<i>Steinachisma hians</i> (Elliott) Nash	Steinachisma	-
<i>Stellaria longifolia</i> Muhl.	Longleaf starwort	FAC
<i>S. longipes</i> Goldie	Longstalk starwort	FACW
<i>S. umbellata</i> Turcz.	Umbrella starwort	?
<i>Stemodia durantifolia</i> (L.) Sw.	Stemodia	OBL

Scientific Name	Common Name	Indicator Status
<i>Streptopus amplexifolius</i> (L.) DC.	Claspleaf twistedstalk	FAC
<i>Styrax platanifolia</i> Engelm.	Sycamore-leaf snowbell	-
<i>Suaeda depressa</i> (Pursh) Wats.	Pursh seepweed	FACW
<i>S. nigra</i> (Raf.) J. F. MacBr.	Black seepweed	FACW DRA
<i>S. nigrescens</i> I. M. Johnst.	Smooth seepweed	OBL
<i>S. torreyana</i> S. Wats.	Torrey seepweed	FAC
<i>Swertia perennis</i> L.	Alpinebog swertia	FAC+
<i>Tamarix africana</i> Poir.	African tamarisk	-
<i>T. aphylla</i> (L.) Karst.	Athel tamarisk	FAC
<i>T. gallica</i> L.	French tamarisk	FAC
<i>T. parviflora</i> DC.	Smallflower tamarisk	-
<i>Teucrium canadense</i> L.	Canada germander	?
<i>T. cubense</i> Jacq.	Germander	?
<i>Thalictrum alpinum</i> L.	Alpine meadowrue	?
<i>T. dasycarpum</i> Fisch. & Ave-Lall.	Daisyseed meadowrue	?
<i>Tithonia thurberi</i> Gray	Tithonia	?
<i>Toxicodendron radicans</i> (L.) O. Kuntze	Poison-ivy	FACW
<i>T. rydbergii</i> (Small ex. Rydb.) Green	Rydberg's poison ivy	FACW
<i>Trautvetteria carolinensis</i> (Walt.) Vail	Carolina buabane	-
<i>Trichocoronis wrightii</i> (T. & G.) Gray	Trichocoronis	-
<i>Tridens albescens</i> (Vasey) Woot. & Standl.	White tridens	-
<i>Trifolium amabile</i> H.B.K.	Aztec clover	-
<i>T. dasypodium</i> T. & G.	Alpine clover	-
<i>T. hybridum</i> L.	Alsike clover	-
<i>T. longipes</i> Nutt.	Longstalk clover	-
<i>T. mucronatum</i> Willd.	Mucronate clover	-
<i>T. nanum</i> Torr.	Dwarf clover	-
<i>T. neurophyllum</i> Greene	Nerve leaf clover	-
<i>T. pinetorum</i> Greene	Woods clover	-
<i>T. pratense</i> L.	Red clover	-
<i>T. repens</i> L.	White clover	-
<i>T. variegatum</i> Nutt.	Whitetip clover	-
<i>Triglochin concinnum</i> J. R. Davy	Slender arrow-grass	OBL
<i>T. maritimum</i> L.	Seaside arrow-grass	OBL
<i>T. palustre</i> L.	Marsh arrow-grass	OBL
<i>Triodanis perfoliata</i> (L.) Nieuwl.	Pouchleaf triodanis	FAC
<i>Tripsacum dactyloides</i> (L.) L.	Eastern gamagrass	-
<i>Trisetum spicatum</i> (L.) Richt.	Spike trisetum	FACW-
<i>T. wolfii</i> Vasey	Wolf trisetum	?
<i>Typha domingensis</i> Pers.	Southern cattail	OBL
<i>T. latifolia</i> L.	Common cattail	OBL
<i>Utricularia racemosa</i> Leconte	Common bladderwort	OBL
<i>Valeriana edulis</i> Nutt.	Edible valerian	FAC
<i>V. occidentalis</i> Heller	Western valerian	FAC
<i>Veratrum californicum</i> Durand	California falsehellebore	OBL
<i>Verbena bracteata</i> Lag. & Rodr.	Prostrate verbena	FAC
<i>V. hastata</i> L.	Blue verbena	?
<i>V. scabra</i> Vahl.	Rough verbena	OBL
<i>Verbesina encelioides</i> (Cav.) Benth. & Hook.	Golden crownbeard	FAC
<i>Vernonia marginata</i> (Torr.) Raf.	Vernonia	-
<i>V. missouriensis</i> Raf.	Missouri vernonia	-

Scientific Name	Common Name	Indicator Status
<i>Veronica americana</i> (Raf.) Schw.	American speedwell	OBL
<i>V. canagallis-aquatica</i> L.	Water speedwell	OBL
<i>V. catenata</i> Pennell	Chain speedwell	-
<i>V. peregrina</i> L.	Purslane speedwell	OBL DRA
<i>V. serpyllifolia</i> L.	Thymeleaf speedwell	FACW-
<i>V. wormskjoldii</i> Roem. & Schult.	Wormskjold speedwell	FAC
<i>Vicia sativa</i> L.	Spring vetch	FACW
<i>Viola adunca</i> Sm.	Hook violet	FAC
<i>V. bicolor</i> Pursh	Field-pansy	FAC
<i>V. missouriensis</i> Greene	Missouri violet	FACW+
<i>V. nephrophylla</i> Greene	Northern bog-violet	FACW
<i>V. pallens</i> (Banks) Brainerd	Northern white violet	-
<i>V. pedatifida</i> G. Don	Prairie violet	-
<i>Vitis arizonica</i> Engelm.	Canyon grape	FAC
<i>Vulpia myuros</i> (L.) C. C. Gmel.	Rattail sixweeks grass	FACW
<i>Washingtonia filifera</i> (Linden ex. Andre) H. Wendel.	Washington palm	FACW
<i>Woodwardia fimbriata</i> J. E. Smith	Western chainfern	FACW
<i>Xanthocephalum gymno-spermoïdes</i> (Gray) Benth. & Hook.	Conifer-like xanthocephalum	-
<i>Yabea microcarpa</i> (Hook. & Arn.) K. Pol.	Small fruit yabea	-
<i>Zannichellia palustris</i> L.	Horned pondweed	OBL
<i>Zantedeschia aethiopica</i> (L.) Spreng.	Callalily	OBL
<i>Zosterella dubia</i> (Jacq.) Small	Water stargrass	OBL

APPENDIX C

SECTION 2

LIST OF PLANT SPECIES THAT COMMONLY
OCCUR IN WETLANDS

REGION 7 - SOUTHWEST

Region 7 - Southwest

1. Following is a list of plant species that commonly occur as dominant species in wetlands of the southwestern United States. This region includes New Mexico and Arizona.

2. The list is a subset of the list provided in Section 1. Only species that commonly occur as dominant species in wetland types of the region are listed. All included species have an indicator status (see Section 1 for definitions of indicator status categories) of OBL, FACW, or FAC.* These species are considered to be typically adapted for life in anaerobic soil conditions. Thus, the vegetation parameter is satisfied when more than 50 percent of the dominant species in a community type appear on this list. In such cases, it is unnecessary to use the list provided in Section 1. However, many other species listed in Section 1 as OBL, FACW, or FAC may be dominant at a given location. Therefore, use the list provided in Section 1 when more than 50 percent of the dominant species in a community type are not included in Section 2. CAUTION: THIS LIST IS NOT INTENDED TO INCLUDE ALL OF THE SPECIES IN THE REGION THAT ARE TYPICALLY ADAPTED FOR LIFE IN ANAEROBIC SOIL CONDITIONS.

3. In some cases, only the generic name is listed. When only one indicator status is shown for a genus, all species of the genus that are listed in Section 1 have the designated indicator status. When a range of indicator statuses is shown (e.g., OBL-FAC), the species listed in Section 1 have different indicator statuses. However, it is unnecessary to consult Section 1 when the range consists only of OBL, FACW, and/or FAC since a species having any of these indicator statuses is considered to be typically adapted for life in anaerobic soil conditions. When the indicator status range of the genus includes FAC- or FACU, identify the species and consult Section 1 to determine the indicator status for that species. Species having a "?" in the indicator status column are thought to commonly occur in wetlands of the region, but no indicator status has been assigned to these species.

4. Scientific nomenclature follows that provided in Section 1. Common names sometimes vary from those provided in Section 1 because a species may have two or more common names. The indicator status for a given species is the same on both lists.

* No species having an indicator status of FAC- are included.

THIS LIST SHOULD BE USED ONLY IN ACCORDANCE WITH PROCEDURES DESCRIBED IN
PART IV OF THE MANUAL.

Scientific Name	Common Name	Indicator Status
<i>Aconitum columbianum</i>	Columbia monkshood	FACW
<i>Adiantum capillus-veneris</i>	Venus-hair fern	FACW+
<i>A. pedatum</i>	Maidenhair fern	FAC
<i>Agrostis exarata</i>	Spike bentgrass	FACW
<i>A. semiverticillata</i>	Water bentgrass	FACW+
<i>Ajagi camelorum</i>	Camelthorn	FACW-
<i>Alisma spp.</i>	Waterplantain	OBL
<i>Allenrolfea occidentalis</i>	Iodinebush	?
<i>Airus tenuifolia</i>	Thinleaf alder	FACW
<i>Alpecurus aequalis</i>	Shortawn foxtail	OBL
<i>A. carolinianus</i>	Carolina foxtail	FACW
<i>A. geniculatus</i>	Water foxtail	OBL
<i>Armania auriculata</i>	Ammania	OBL
<i>A. coccinea</i>	Purple ammania	OBL DRA
<i>Amorpha californica</i>	Mock locust	FAC
<i>A. fruticosa</i>	Dull-leaf indigo	FACW+
<i>Anemone canadensis</i>	Canada anemone	FACW-
<i>Apocynum sibiricum</i>	Prairie dogbane	FAC
<i>Asclepias chrysantha</i>	Golden columbine	FACW
<i>A. coerulea</i>	Colorado columbine	FACW-
<i>A. longissima</i>	Longspur columbine	FACW+
<i>Arnica chamissonis</i>	Chamisso arnica	FACW
<i>Artemisia biennis</i>	Biennial wormwood	FACW
<i>Arundo donax</i>	Giant reed	FACW
<i>Asclepias incarnata</i>	Swamp milkweed	OBL
<i>A. speciosa</i>	Showy milkweed	FACW-
<i>Aster spp.</i>	Aster	FACW - FAC
<i>Astragalus agrestis</i>	Everywhere milkvetch	FACW-
<i>Athyrium filix-femina</i>	Southern ladyfern	FAC
<i>Atriplex lentiformis</i>	Big saltbush	FACW
<i>A. patula</i>	Fat-hen saltweed	FAC
<i>A. truncata</i>	Wedgescale saltweed	?
<i>Azolla spp.</i>	Azolla	OBL
<i>Baccharis spp.</i>	Baccharis	FACW - FACU
<i>Bacopa spp.</i>	Bacopa	OBL
<i>Barbarea orthoceras</i>	Erectpod wintercress	OBL
<i>Bassia hyssopifolia</i>	Fivehook bassia	FACW-
<i>B. komarovii cylindrica</i>	American sloughgrass	OBL
<i>Betula ericoides</i>	Cut-leaved water parsnip	OBL
<i>B. occidentalis</i>	Arizona kittentails	FACW
<i>B. papyrifera</i>	Plantain kittentails	FACW-
<i>Betula populifolia</i>	Water birch	FACW
<i>B. papyrifera</i>	Beggarticks	OBL - FAC
<i>Botrychium spp.</i>	Botrychium	FACW - FAC
<i>Bulbostylis flabellifolia</i>	Funck bulbostylis	FACW+
<i>B. juncea</i>	Rush bulbostylis	FACW
<i>Lilium canadense</i>	Bluejoint reedgrass	OBL

Scientific Name	Common Name	Indicator Status
<i>C. inexpansa</i>	Northern reedgrass	FACW
<i>C. scopulorum</i>	Jones reedgrass	FAC
<i>C. scribneri</i>	Scribner reedgrass	?
<i>Calandrinia ambigua</i>	Calandrinia	FAC
<i>Callitricha hermaphroditica</i>	Secret waterstarwort	OBL
<i>C. verna</i>	Green waterstarwort	OBL
<i>Caltha leptosepala</i>	Elkslip marshmarigold	OBL
<i>Calypso bulbosa</i>	Fairy slipper orchid	FAC
<i>Carex spp.</i>	Sedge	OBL - FACU-
<i>Castilleja spp.</i>	Indian paintbrush	OBL - FACU
<i>Centaurium calycosum</i>	Arizona centaury	FACW+
<i>C. nudicaule</i>	Centaury	FACW-
<i>Centunculus minimus</i>	Chaffweed	FACW+
<i>Cephalanthus occidentalis</i>	Common buttonbush	OBL
<i>Ceratophyllum spp.</i>	Coontail	OBL
<i>Chenopodium ambrosioides</i>	Mexican-tea	FAC
<i>C. glaucum</i>	Oakleaf goosefoot	FAC
<i>C. rubrum</i>	Red goosefoot	?
<i>Cicuta douglasii</i>	Douglas waterhemlock	OBL
<i>Circaeа alpina</i>	Alpine circaeа	FAC
<i>Cirsium nudulum</i>	Thistle	FAC
<i>C. pallidum</i>	Thistle	FACW
<i>C. parryi</i>	Parry thistle	FACW-
<i>C. vinaceum</i>	Vine thistle	OBL
<i>Cladium californicum</i>	Sawgrass	OBL
<i>Claytonia lanceolata</i>	Lanceleaf springbeauty	?
<i>Cleome lutea</i>	Yellow beeplant	FAC+
<i>Conyza coulteri</i>	Conyza	FACW-
<i>Coreopsis tinctoria</i>	Tickseed coreopsis	FAC
<i>Cornus stolonifera</i>	Redosier dogwood	FACW
<i>Cotula coronopifolia</i>	Brass buttons	OBL
<i>Crassula aquatica</i>	Water crassula	OBL
<i>C. erecta</i>	Erect crassula	FACW
<i>Crepis runcinata</i>	Dandelion hawksbeard	FAC
<i>Cressa truxillensis</i>	Alkali weed	FACW-
<i>Cyperus spp.</i>	Flatsedge	OBL - FAC
<i>Cypripedium calceolus</i>	Yellow lady's slipper	FACW
<i>Deschampsia cespitosa</i>	Tufted hairgrass	FACW-
<i>D. danthonioides</i>	Annual hairgrass	FACW-
<i>D. elongata</i>	Slender hairgrass	FAC
<i>Dodecatheon alpinum</i>	Alpine shootingstar	?
<i>D. pulchellum</i>	Beautiful shootingstar	FACW
<i>Draba aurea</i>	Golden draba	FAC
<i>Dracopis amplexicaulis</i>	Dracopis	FACW
<i>Dugaldia hoopesii</i>	Hoope's dugaldia	FAC+
<i>Echinochloa colonia</i>	Jungle rice	FACW
<i>E. crus-galli</i>	Barnyard grass	FACW- DRA
<i>Echinocystis lobata</i>	Wild cucumber	FAC
<i>Echinopepon wrightii</i>	Echinopepon	FAC
<i>Eclipta alba</i>	Common verbadetajo	FAC

Scientific Name	Common Name	Indicator Status
<i>Elaeagnus angustifolia</i>	Russian olive	FACW-
<i>Elatine americana</i>	American waterwort	OBL
<i>E. brachysperma</i>	Shortseed waterwort	FACW
<i>Eleocharis spp.</i>	Spikerush	OBL - FACW
<i>Ellisia nyctelea</i>	False babyblueeyes	FAC
<i>Elodea spp.</i>	Waterweed	OBL
<i>Elymus canadensis</i>	Canada wildrye	FAC
<i>E. virginicus</i>	Virginia wildrye	FACW
<i>Epilobium angustifolium</i>	Fire willowweed	FAC
<i>E. hornemannii</i>	Hornemann willowweed	FACW
<i>Epipactis gigantea</i>	Giant hellebore	?
<i>Equisetum arvense</i>	Field horsetail	FACW-
<i>E. hyemale</i>	Scouringrush horsetail	FACW
<i>E. laevigatum</i>	Smooth horsetail	FACW
<i>Erianthus ravennae</i>	Ravenna grass	FAC
<i>Erigeron spp.</i>	Fleabane	FACW - FAC-
<i>E. coulteri</i>	Coulter fleabane	FACW
<i>E. elatior</i>	Tall fleabane	FACW
<i>Eriochloa spp.</i>	Cupgrass	FACW
<i>Eriophorum angustifolium</i>	Narrowleaf cottonsedge	OBL
<i>Eryngium heterophyllum</i>	Mexican thistle	FACW-
<i>E. phytmae</i>	Eryngo	OBL
<i>E. sparganophyllum</i>	Arizona eryngo	OBL
<i>Eustoma exaltatum</i>	Eustoma	?
<i>Festuca rubra</i>	Red fescue	FACW-
<i>Fimbristylis thermalis</i>	Frimbry	FACW+
<i>F. vahlii</i>	Vahl frimbry	FACW+
<i>Flaveria campestris</i>	Flaveria	FAC
<i>Fragaria virginiana</i>	Wild strawberry	FAC
<i>Fraxinus pennsylvanica</i>	Green ash	FACW
<i>F. velutina</i>	Velvet ash	FAC+
<i>Galiun mexicanum</i>	Rough bedstraw	FAC
<i>G. trifidum</i>	Small bedstraw	FACW
<i>Gentianella amarella</i>	Felwort	FACW
<i>G. tenella</i>	Dane's gentian	FAC+
<i>Gentianopsis barbellata</i>	Perennial fringed gentian	FAC
<i>G. thermalis</i>	Rocky Mountain fringed gen	?
<i>Geranium eremophilum</i>	Geranium	FACW
<i>G. richardsonii</i>	Richardson geranium	FAC
<i>Geum macrophyllum</i>	Big-leaf avens	FACW
<i>G. rivale</i>	Water avens	FAC
<i>Inraphalium spp.</i>	Cudweed	FACW - FAC
<i>Isotoma neglecta</i>	Neglected hedgehyssop	OBL DRA
<i>Gymnocarpium dryopteris</i>	Oakfern	FAC
<i>Helenia recurva</i>	Spur gentian	FAC
<i>Helenium arizonicum</i>	Sneezeweed	FACW
<i>H. autumnale</i>	Common sneezeweed	?
<i>H. thurberi</i>	Thurber sneezeweed	?
<i>Helianthus ciliaris</i>	Blueweed sunflower	FAC
<i>H. nuttallii</i>	Nuttall sunflower	FACW

Scientific Name	Common Name	Indicator Status
<i>Heliotropium curassavicum</i>	Seaside heliotrope	?
<i>Hemicarpha aristulata</i>	Awned hemicarpha	FACW
<i>H. drummondii</i>	Drummond hemicarpha	FACW
<i>H. micrantha</i>	Common hemicarpha	?
<i>Hemizonia pungens</i>	Common spikeweed	FACW+
<i>Heracleum lanatum</i>	Common cowparsnip	OBL
<i>Heteranthera spp.</i>	Mudplantain	OBL
<i>Hierochloe odorata</i>	Common sweetgrass	FACW+
<i>Hippuris vulgaris</i>	Marestail	OBL DRA
<i>Holcus lanatus</i>	Common velvetgrass	FACW-
<i>Hordeum spp.</i>	Barley	FACW - - FAC
<i>Hydrocotyle ranunculoides</i>	Floating pennywort	OBL
<i>H. verticillata</i>	Whorled pennywort	OBL
<i>Hydrophyllum fendleri</i>	Fendler waterleaf	?
<i>H. occidentale</i>	Western waterleaf	FACW+
<i>Hypericum anagalloides</i>	Tinker's penny	?
<i>H. formosum</i>	Southwestern St. Johnswort	FACW
<i>Iliamna grandiflora</i>	Wild hollyhock	FACW-
<i>Iris missouriensis</i>	Rocky Mountain iris	?
<i>Isocetes spp.</i>	Quillwort	OBL
<i>Iva axillaris</i>	Povertyweed	FAC DRA
<i>I. xanthifolia</i>	Marsh elder	FAC
<i>Juglans major</i>	Arizona walnut	FACW-
<i>Juncus spp.</i>	Rush	OBL - FAC
<i>Leersia oryzoides</i>	Rice cutgrass	OBL
<i>Lerma spp.</i>	Duckweed	OBL
<i>Leptochloa uninervia</i>	Mexican sprangletop	FACW-
<i>Limosella caulis</i>	Owyhee mudwort	OBL
<i>L. aquatica</i>	Water mudwort	OBL
<i>Lindernia magallidea</i>	Clasping pimpernel	OBL
<i>L. dubia</i>	False pimpernel	OBL
<i>Lobelia anatina</i>	Lobelia	FACW+
<i>L. cardinalis</i>	Cardinal flower	OBL
<i>Ludwigia spp.</i>	Waterprimrose	OBL - OBL DRA
<i>Lupinus kingii</i>	King lupine	FAC
<i>Lycopus americanus</i>	Water-horehound	OBL
<i>L. asper</i>	Rough bugleweed	OBL
<i>Lysimachia ciliata</i>	Fringed loosestrife	FACW
<i>Lythrum californicum</i>	Common loosestrife	OBL
<i>Machaeranthera boltoniae</i>	Machaeranthera	FACW+
<i>Marrubium vulgare</i>	Horehound	FAC+
<i>Mecardonia vandelliioides</i>	Prostrate mecardonia	OBL
<i>Mentha arvensis</i>	Field mint	FACW
<i>M. rotundifolia</i>	Apple mint	FAC
<i>M. spicata</i>	Spearmint	?
<i>Menyanthes trifoliata</i>	Common buckbean	OBL
<i>Mertensia ciliata</i>	Broadleaf bluebells	FACW+
<i>M. franciscana</i>	Franciscan bluebells	FACW
<i>Mimulus pilosa</i>	False monkeyflower	FACW
<i>Mimulus spp.</i>	Monkeyflower	OBL - FACW

Scientific Name	Common Name	Indicator Status
<i>Montia chamissoi</i>	Waterminerslettuce	OBL
<i>Muhlenbergia spp.</i>	Muhly	FACW - FACU- DRA
<i>Myosotis scorpioides</i>	True forget-me-not	?
<i>Myosurus aristatus</i>	Bristle mousetail	OBL DRA
<i>M. cupulatus</i>	Mousetail	?
<i>M. minimus</i>	Tiny mousetail	OBL
<i>Myriophyllum spp.</i>	Watermilfoil	OBL
<i>Najas spp.</i>	Waternymph	OBL
<i>Nasturtium officinale</i>	Watercress	OBL
<i>Navarretia propinqua</i>	Great Basin navarettia	FAC
<i>Nepeta cataria</i>	Catnip	FACW-
<i>Nitrophila occidentalis</i>	Western miterwort	FAC+
<i>Cenothera spp.</i>	Primrose	OBL - FACW
<i>Cypripedium vulgatum</i>	Common adderstongue	FAC
<i>Osmunda cinnamomea</i>	Cinnamon fern	FACW
<i>Oxypolis fendleri</i>	Fendler cowbane	FACW
<i>Oxytropis deflexa</i>	Hangpod crazyweed	FAC
<i>Panicum capillare</i>	Witchgrass	FAC
<i>P. dichotomiflorum</i>	Fall panicum	FAC
<i>P. obtusum</i>	Vine-mesquite	FAC DRA
<i>Parnassia fimbriata</i>	Fringed grass-of-parnassus	OBL
<i>P. parviflora</i>	Smallflower parnassia	OBL
<i>Paspalum dilatatum</i>	Dallisgrass	FAC
<i>P. distichum</i>	Knotgrass	?
<i>Pedicularis groenlandica</i>	Elephanthead lousewort	OBL
<i>P. parryi</i>	Parry lousewort	FAC+
<i>Penstemon rydbergii</i>	Rydberg penstemon	FAC
<i>Perideridia gairdneri</i>	Common yampa	FACW
<i>P. parishii</i>	Parish yampa	FACW
<i>Petunia parviflora</i>	Payette penstemon	FACW
<i>Phacelia heterophylla</i>	Varileaf phacelia	FAC
<i>Phalaris angusta</i>	Timothy canarygrass	FACW
<i>P. arundinacea</i>	Reed canarygrass	OBL
<i>P. canariensis</i>	Canary grass	?
<i>P. caroliniana</i>	Carolina canarygrass	FACW
<i>Phleum alpinum</i>	Mountain timothy	FACW-
<i>Phyla spp.</i>	Frogfruit	OBL - FACW-
<i>Physalis angulata</i>	Cutleaf groundcherry	FAC
<i>Pistia stratiotes</i>	Waterlettuce	OBL
<i>Plagiobothrys scouleri</i>	Scouler popcornflower	FACW+
<i>Plantago spp.</i>	Plantain	FACW - FAC
<i>Platanus wrightii</i>	Arizona sycamore	?
<i>Pluchea purpureascens</i>	Saltmarsh fleabane	OBL
<i>P. sericea</i>	Arrowweed pluchea	FACW-
<i>Poa glauca</i>	Bloomleaf bluegrass	FACW
<i>P. nevadensis</i>	Nevada bluegrass	FACW
<i>Polemonium filicinum</i>	Fernleaf polemonium	FACW
<i>P. foliosissimum</i>	Leafy polemonium	FAC-
<i>Polygonum spp.</i>	Smartweed	OBL - FACU-
<i>Polystichum lonchitis</i>	Hollyfern	?

Scientific Name	Common Name	Indicator Status
<i>Populus acuminata</i>	Smooth-barked cottonwood	FACW
<i>P. fremontii</i>	Fremont cottonwood	FACW
<i>P. tremula</i>	Quaking aspen	?
<i>Porterella carnosula</i>	Fleshy porterella	OBL
<i>Portulaca oleracea</i>	Common purslane	FAC
<i>Potamogeton spp.</i>	Pondweed	OBL
<i>Potentilla spp.</i>	Cinquefoil	OBL - FACU
<i>Primula ellisiae</i>	Primrose	?
<i>P. parryi</i>	Parry primrose	FAC+
<i>P. rusbyi</i>	Rusby primrose	FAC
<i>Proboscidea louisianica</i>	Louisiana devilsclaws	FAC
<i>Prosopis pubescens</i>	Screwbean mesquite	FACW-
<i>Prunella vulgaris</i>	Common selfheal	FACW-
<i>Puccinellia spp.</i>	Alkaligrass	OBL
<i>Ranunculus spp.</i>	Buttercup	OBL - FAC
<i>Rhamnus betulifolia</i>	Birchleaf buckthorn	FACW-
<i>Ribes americanum</i>	Wild black currant	FACW
<i>R. aureum</i>	Golden currant	FACW
<i>R. inerme</i>	Whitestem currant	FACW-
<i>R. wolfii</i>	Wolf currant	FAC
<i>Rorippa spp.</i>	Cress	OBL - FACW
<i>Rotala ramosior</i>	Tooth-cup	OBL
<i>Rudbeckia laciniata</i>	Cutleaf coneflower	FACW-
<i>Rumex spp.</i>	Dock	OBL - FAC+
<i>Sagina saginoides</i>	Arctic pearlroot	FACW+
<i>Sagittaria spp.</i>	Arrowhead	OBL
<i>Salicornia rubra</i>	Rocky Mountain glasswort	OBL DRA
<i>S. utahensis</i>	Utah samphire	FACW
<i>Salix spp.</i>	Willow	OBL - FAC-
<i>Sambucus cerulea</i>	Blue elderberry	FAC
<i>S. mexicana</i>	Mexican elderberry	FAC
<i>Scamolus cuneatus</i>	Waterpimpernel	OBL
<i>S. ebracteatus</i>	Waterpimpernel	OBL
<i>S. parviflorus</i>	Waterpimpernel	OBL
<i>S. vagans</i>	Waterpimpernel	OBL
<i>Sanguisorba minor</i>	Small burnet	?
<i>Saxifraga arguta</i>	Brook saxifrage	FACW-
<i>Scirpus spp.</i>	Bulrush	OBL
<i>Scrophularia californica</i>	Figwort	FACW-
<i>Scutellaria galericulata</i>	Common skullcap	OBL
<i>Senecio pauperculus</i>	Balsam groundsel	FAC
<i>S. pseudoaureus</i>	Falsegold groundsel	FACW
<i>S. salignus</i>	Willow groundsel	FAC
<i>S. triangularis</i>	Arrowleaf groundsel	OBL
<i>Sesbania exaltata</i>	Wild coffee	FACW
<i>Sesuvium sessile</i>	Lowland purslane	FAC
<i>Setaria geniculata</i>	Knotroot bristlegrass	FAC
<i>S. glauca</i>	Yellow foxtail	FAC
<i>Sidalcea candida</i>	White checkermallow	FAC
<i>S. neomexicana</i>	New Mexico checkermallow	FACW

Scientific Name	Common Name	Indicator Status
<i>Silene acaulis</i>	Moss silene	FAC
<i>Sisymbrium altissimum</i>	Tumblemustard	FAC
<i>Sisyrinchium spp.</i>	Blue-eyed grass	OBL - FAC
<i>Sium suave</i>	Common waterparsnip	OBL
<i>Solidago gigantea</i>	Late goldenrod	FACW-
<i>Sonchus asper</i>	Prickly sowthistle	FACW DRA
<i>Sparganium spp.</i>	Burreed	OBL
<i>Spartina gracilis</i>	Alkali cordgrass	FACW
<i>S. pectinata</i>	Prairie cordgrass	FACW
<i>Spergularia marina</i>	Saltmarsh sandspurry	?
<i>Sphenopholis obtusata</i>	Prairie wedgegrass	FAC
<i>Spiranthes romanzoffiana</i>	Continental ladies' tresses	OBL
<i>Spirodela polyrhiza</i>	Greater duckweed	OBL
<i>Stachys palustris</i>	Marsh hedge-nettle	OBL
<i>Stellaria longifolia</i>	Longleaf starwort	FAC
<i>S. longipes</i>	Longstalk starwort	FACW
<i>S. umbellata</i>	Umbrella starwort	?
<i>Stemodia durantifolia</i>	Stemodia	OBL
<i>Streptopus amplexifolius</i>	Clasp-leaf twisted-stalk	FAC
<i>Suaeda spp.</i>	Seepweed	OBL - FAC
<i>Swertia perennis</i>	Alpinebog swertia	FAC+
<i>Tamarix gallica</i>	French tamarisk	FAC
<i>Teucrium canadense</i>	Canada germander	?
<i>T. cubense</i>	Germander	?
<i>Thalictrum alpinum</i>	Alpine meadowrue	?
<i>T. dasycarpum</i>	Daisyseed meadowrue	?
<i>Tithonia thurbertii</i>	Tithonia	?
<i>Triglochin spp.</i>	Arrow-grass	OBL
<i>Trisetum spicatum</i>	Spike trisetum	FACW-
<i>T. wolfii</i>	Wolf trisetum	?
<i>Typha spp.</i>	Cattail	OBL
<i>Utricularia spp.</i>	Bladderwort	OBL
<i>Valeriana edulis</i>	Edible valerian	FAC
<i>V. occidentalis</i>	Western valerian	FAC
<i>Veratrum californicum</i>	California false-hellebore	OBL
<i>Verbena bracteata</i>	Prostrate verbena	FAC
<i>V. hastata</i>	Blue verbena	?
<i>Veronica spp.</i>	Speedwell	OBL - FAC
<i>Vicia sativa</i>	Spring vetch	FACW
<i>Viola spp.</i>	Violet	FACW+ - FAC
<i>Vitis arizonica</i>	Canyon grape	FAC
<i>Woodwardia fimbriata</i>	Western chainfern	FACW
<i>Cannichellia palustris</i>	Horned pondweed	OBL
<i>Costerella tibia</i>	Mud-plantain	OBL

END

4 - 7

DTIC